

Focus Chain

Designer: Woven Image

Application(s): Upholstery

Composition & Pattern

Composition 91% Polyester & 9% Polyurethane

Colours Available 12

Weave Woven

Pattern Type Woven Pattern

Pattern Repeat Horizontal: 19cm, Vertical: 19.5cm

Dimensions & Weight

Dimensions Width: 137cm

Unit of Sale Linear metre

Unit of Sale Net Weight (kg) 0.78

Performance

Fire Test Result AS 1530.3, AS 3837: Group 2, CAL 117, ASTM E84 Unadhered: Class 1 or A, BS EN 1021.1

Acoustic Performance Standard Test AS ISO 354: 2006 (R2016)

Method

Noise Reduction Coefficient (NRC) Direct fix: 0.30
Result

Sound Absorption Average (SAA) Direct fix: 0.29
Result

Weighted Sound Absorption Coefficient (α_w) Direct fix: 0.2 (H)
Result

Additional Acoustic Information Noise reduction coefficient result key: H = High Frequency / MH = Mid to High Frequency

Abrasion Resistance Result 50,000 Martindale

Colour Fastness to Light Standard ISO 105 B02
Test Method

Colour Fastness Light Rating 5 - 6

Colour Fastness to Rubbing Standard AS 2001.4.3
Test Method

Colour Fastness to Rubbing Rating Wet: 4 - 5, Dry: 4 - 5

Pilling Standard Test Method TWC TM 196

Pilling Rating 5

Seam Slippage Standard Test Method AS 2001.2.22A

Seam Slippage Rating Warp: 3.2mm, Weft: 3.0mm

Sustainability

VOC Emissions Results ASTM D5116: TVOC Emissions Rate: <0.004mg/m²/hr (7 days)

Sustainability Performance



Instructions

Fabric Care



Additional Information See Woven Image General Upholstery Care & Cleaning Guide.

Exact colour matching cannot be guaranteed between batches.