Focus

Designer: Woven Image

Application(s): Workstations, Upholstery, Partitions

Composition & Pattern

Composition	100% Polyester
Colours Available	28
Weave	Dobby

Dimensions & Weight

Dimensions	Width: 140cm
Unit of Sale	Linear metre
Unit of Sale Net Weight (kg)	0.532

Performance

Fire Test Result	AS 1530.3, AS 3837: Group 1, BS 5852 Source 0 & 1, CAL 117, ASTM E84 Unadhered: Class 1 or A
Abrasion Resistance Result	100,000+ Martindale
Colour Fastness to Light Standard Test Method	ISO 105 B02

Copyright Woven Image

Colour Fastness Light Rating	5 - 6
Colour Fastness to Rubbing Standard Test Method	AS 2001.4.3
Colour Fastness to Rubbing Rating	Wet: 4 - 5, Dry: 4 - 5
Pilling Standard Test Method	TWC TM 196
Pilling Rating	4
Seam Slippage Standard Test Method	AS 2001.2.22A
Seam Slippage Rating	Warp: 4.4mm, Weft: 4.1mm

Sustainability

VOC Emissions Results	ASTM D5116: TVOC Emissions Rate: <0.003mg/m^2/hr (7 days)
Sustainability Performance	

Instructions

Fabric Care	
Additional Information	See Woven Image General Upholstery Care & Cleaning Guide. Exact colour matching cannot be guaranteed between batches.

Copyright Woven Image