

# CEILING COLLECTION



**WV** WOVEN  
IMAGE®  
SAINT-GOBAIN

# CEILING COLLECTION

Woven Image have created design-driven, sustainable and easy-to-install acoustic ceiling solutions for use in commercial interior spaces, including workplace, education and hospitality environments. Delivering high acoustic performance, these ceiling systems control reverberated noise in shared spaces where noise levels can impact productivity and comfort.

All ceiling solutions carry third-party sustainability certifications. Baffles are made from EchoPanel® which achieves Global GreenTag™ certification (GreenRate Level A), with the maximum Product Health Declaration™ Platinum Health. They are Red List Free and have published ingredient transparency with Declare.

The acoustic performance of all ceiling solutions is tested and measured in accordance with global standards, ISO and ASTM. Also meeting the sound reducing requirements to secure points under WELL™ v2.

Contact your Woven Image representative for more information.

<b>FUJI</b> .....	<b>04</b>
<b>FUJI DESIGN &amp; COLOUR PALETTE</b> .....	<b>06</b>
<b>MURA COLOUR PALETTE</b> .....	<b>08</b>
<b>ECHOPANEL® ARRAY</b> .....	<b>12</b>
<b>ECHOPANEL® ARRAY COLOUR PALETTE</b> .....	<b>14</b>
<b>ECHOPANEL® ARRAY BAFFLE DESIGNS</b> .....	<b>16</b>
<b>CEILINGS HARDWARE</b> .....	<b>18</b>
<b>COMMERCIAL SERVICES</b> .....	<b>20</b>
<b>ARRAY PRODUCT PERFORMANCE</b> .....	<b>24</b>
<b>FUJI PRODUCT PERFORMANCE</b> .....	<b>26</b>

Front & back cover images: EchoPanel® in colour 468 | **Project:** Flinders University  
**Designer:** Architectus | **Photographer:** Shannon McGrath  
This image: **ARRAY VIADUCT 24mm** fixed in colour 447



# FUJI

Fuji is a range of decorative 3D formed ceiling tiles, inspired by modern Japonisme and art deco trends. Designed for use in varying combinations and configurations, either fixed or suspended from the ceiling, Fuji can be used as a feature, as well as large scale acoustic ceiling solution. Off-the-shelf lighting solutions can be easily integrated.

The manufacture of Fuji tiles considers the health of building occupants in its acoustic and environmental performance. The unique combination of form and material selection produces high sound absorption performance which brings acoustic comfort to commercial interior spaces.

Fuji achieves Global GreenTag™ certification (GreenRate Level A), with the maximum Product Health Declaration™ Platinum Health. They are Red List Free, Low VOC and have published ingredient transparency with Declare. Fuji is recognised by International Green Building Tools including WELL™, LEED®, GreenStar® and BREEAM®.


**FUJI JUNI & ROKU** in colour 420 | **Project:** Region Group  
**Designer:** Siren Design | **Photographer:** Luc Remond




## FUJI DESIGN & COLOUR PALETTE

Fuji is available in four different designs with varying sizes; Roku, Juni, Ku and Hachi. There are four stocked colours including Cream, Onyx and dual colour combinations of Duck Egg/Cream and Cream/Onyx.


Fuji can be customised to any of Mura's colours - See page 8 (minimum quantities order apply).




560mm x 560mm x 90mm



840mm x 840mm x 132mm



560mm x 1160mm x 90mm




1740mm x 840mm x 132mm

**FUJI ROKU** is the smallest square tile of the range. It can easily be incorporated into beautiful custom configurations.

**FUJI KU**, as the larger square tile makes for an elegant suspended feature and functional ceiling solution.

**FUJI JUNI**, rectangular in shape it offers more scope in sound control and pairs wonderfully with Roku.


**FUJI HACHI** is a larger rectangular format, ideally suspended as a workstation or conference table feature.



908 Cream



550 Onyx



299 Duck Egg/Cream



420 Cream/Onyx



**FUJI ROKU** in colour 420 with onyx button



**FUJI KU** in colour 908 with off-white button



**FUJI JUNI** in colour 550 with onyx/gold buttons



**FUJI HACHI** in colour 299 with off-white buttons



## MURA COLOUR PALETTE



501 Chalk



101 Frost



908 Cream



454 Mushroom



468 Vanilla



447 Slate



442 Grey



444 Smoke



402 Pebble



481 Latte



550 Onyx



542 Charcoal



274 Orchid



487 Blush



495 Dusk



269 Wine



484 Cayenne



167 Cinnamon



721 Nutmeg



124 Ochre



330 Ivy



349 Vineyard



384 Olive



580 Sage



106 Butter



365 Navy



660 Coronet



551 Duck Egg



573 Mint

### ROLL DIMENSIONS

6m, 25m or 105m roll | 236", 984" or 4134" roll

### WIDTH

1210mm (+/-5mm) | 47.64" (+/-0.2")

### THICKNESS

**1.9mm** (+/-0.25mm) | 0.07" (+/-0.01")

### SOUND ABSORPTION

AS ISO 354: 2006 (R2016) - direct fix results

$\alpha_w$  0.10 (H)

NRC Value 0.10

SAA 0.08









## ECHOPANEL® ARRAY

EchoPanel® Array is an acoustic ceiling baffle solution utilising 24mm (0.94") EchoPanel®, with streamlined hardware engineered for easy installation, and scalable for both small and large applications.

Woven Image have developed Array to use less hardware than systems that are installed vertically. Array baffles can be directly fixed to ceilings or suspended. It is available to be used in both horizontal and vertical applications, allowing for a seamless finish from ceiling to wall.

All in-house baffle designs are inspired by our natural and built environment; from subtle linear shapes, to arcs and curves.

Choose from beautifully crafted baffles in the extensive EchoPanel® colour palette (see page 15), or work with us to create your own unique designs (see page 20).

**ECHOPANEL®** in colours 384, 468, 580, 167, 269 & 468  
**Project:** University of Adelaide | **Designer:** Architectus  
**Photography:** Aaron Citti



# ECHOPANEL® ARRAY COLOUR PALETTE



ARRAY TURRET in colour 487 | **Project:** Royal Melbourne Hospital  
**Designer:** Gray Puksand | **Photography:** Nicole England


				
500 Off White	101 Frost	442 Grey		
				
908 Cream	454 Mushroom	468 Vanilla	402 Pebble	481 Latte
				
550 Onyx	542 Charcoal	447 Slate	444 Smoke	274 Orchid
				
269 Wine	193 Rouge	484 Cayenne	487 Blush	495 Dusk
				
167 Cinnamon	295 Mandarin	721 Nutmeg	124 Ochre	106 Butter
				
378 Seaweed	349 Vineyard	384 Olive	579 Pistachio	580 Sage
				
330 Ivy	338 Jade	573 Mint	381 Lime Splice	
				
289 Laguna	365 Navy	660 Coronet	633 Pacific	551 Duck Egg



## ECHOPANEL® ARRAY BAFFLE DESIGNS

EchoPanel® Array baffle and ceiling hardware dimensions will vary depending on project requirements. Exact quantities, measurements and drawings will be provided upon project specification.


Standard baffle designs are 2780mm in length and vary in depth, please see below:



200mm depth



300mm depth



200mm depth



300mm depth



300mm depth


**BEAM** is a minimalist profile designed for a refined and subtle interior. There is the option to choose from 200mm or 300mm nominal baffle depth.

**WEDGE** is robust, yet simple, giving a point of interest and detail that will compliment a tailored interior. There is the option to choose from 200mm or 300mm nominal baffle depth.

**TAPER** offers an elegant way to bring shape and dynamic elements to a ceiling project, whilst also incorporating an acoustic performance element.



300mm depth




300mm depth




300mm depth



300mm depth



300mm depth



300mm depth

**CATHEDRAL** is a celebration of rounded crescent shapes that create a decorative yet sophisticated design.

**TURRET** adds more compressed texture to a ceiling project with tighter and compact curves to work perfectly with various colours.

**VALLEY** introduces an interplay between vertical elements, adding texture and depth on an architectural scale.

**VIADUCT** is inspired by the architectural features of ancient Roman archways, these baffles make for a timeless statement ceiling.

**WAVE** can infuse spaces with various moods and characteristics reminiscent of ocean waves or desert sand dunes.

**FLOW** embraces a fluid motion, displaying gentle undulations of the tide.

## CEILING HARDWARE



### RAIL

2.5m long aluminium rail that holds Array baffles or Fuji barrel kits in place. In white or black powder coat.



### SNAP COVERS

2.5m long aluminium profile, cut to size and snapped into the underside of Array rails to create spacing between Array baffles or Fuji barrel kits.



### END CAPS

Screwed onto the end of a rail for a clean finish (Tek screws included).

### Additional hardware:



### SUSPENSION KIT

To suspend Array baffles, rails and Fuji tiles from ceiling.



### JOINER PLATE

To connect multiple rail runs for larger ceiling applications (Tek screws included).



### BARREL KIT

To connect Fuji tiles to ceiling or Array rail, available in; onyx/gold, off-white and onyx.



FUJI HACHI suspended in custom dual colours 349/402, with wall in EchoPanel® ALIGN colour 349





## COMMERCIAL SERVICES

Woven Image's in-house Commercial Services Team is supporting architects and interior designers around the world to bring their clients' unique projects to life.

Managing queries and quotations, they provide advice, industry expertise and precise technical plans and drawings using CAD software.

Ideas turn into reality using beautiful in-house or bespoke designs, creating truly unique spaces that align with specifications.

By liaising with designers, in-house operations and contractors, the Project Delivery Team ensure project materials are delivered on time, so that client projects are both accurate and beautiful.



ARRAY BEAM & WEDGE 24mm in colour 442

Project: Show Suite | Designer: Hub Interiors | Photography: Ryan North








# ARRAY PRODUCT PERFORMANCE

## ARRAY BAFFLE SOUND ABSORPTION

Tested in accordance with AS ISO 354: 2006 (R2016) and sound performance indices calculated in accordance with AS ISO 11654: 2002 (R2016), with NRC and SAA defined by ASTM C423 - 17. Testing is based on a 300mm spacing between each baffle. CSIRO test report number is AC283 – 01A – 1 and AC283 - 08A - 1.



Baffle dimensions mm	o.d.s* mm	Absorption area (m² Sabin)						Performance indices			
		125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	αw	Class	SAA	NRC
Hardware and baffle dimensions will vary per design. (See drawings on pages 16 and 17).	300	0.15	0.44	0.46	0.70	0.85	0.83	0.75 (MH)	C	0.83	0.85

\*o.d.s = overall depth of system

For additional specifications and performance details please visit [wovenimage.com](http://wovenimage.com)

## FIRE TEST

ISO 9705: Group 1  
ASTM E84 Unadhered: Class 1 or A  
BS EN 13501.1: Classification B – s1, d0

## EMISSIONS

EchoPanel® 24mm achieves ASTM D5116: TVOC Emissions Rate: <0.02mg/m²/hr (7 days), and CDPH Standard Method v1.2: TVOC Emissions Rate: <0.054mg/m³; Formaldehyde Emissions Rate: <2µg/m³



## COMPOSITION

EchoPanel® Baffle: 100% PET (60% post-consumer recycled)  
Hardware: Powder coated aluminium alloy 6060



ARRAY WEDGE suspended in colours 908, 454 & 468



## FUJI PRODUCT PERFORMANCE

### FUJI SOUND ABSORPTION

Fuji tile dimensions mm (+/- 3mm)	o.d.s* mm (+/- 3mm)	Performance indices			
		$\alpha_w$	Class	SAA	NRC
<b>ROKU</b> 560mm x 560mm x 90mm	199	0.75	C	0.72	0.7
<b>JUNI</b> 560mm x 1160mm x 90mm	199	0.8	B	0.76	0.8
<b>KU</b> 840mm x 840mm x 132mm	241	0.8	B	0.74	0.75
<b>HACHI</b> 840mm x 1740mm x 132mm	241	0.8	B	0.76	0.8

\*o.d.s = overall depth of system

### FIRE TEST

BS EN 13501.1: Classification B - s1, d0

ISO 9705: Group 2

GB 8624 B1

ASTM E84 Unadhered: Class 1 or A

### EMISSIONS

FUJI ROKU, JUNI, KU and HACHI achieves:

ASTM D5116: TVOC Emissions Rate: <0.046mg/m<sup>2</sup>/hr (7 days)

CDPH Standard Method v1.2: TVOC Emissions Rate: <0.020mg/m<sup>3</sup>

Formaldehyde Emissions Rate: <1µg/m<sup>3</sup>

### COMPOSITION

Fuji Tile: 100% PET (64% post-consumer recycled)

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**



