

MATERIAL SAFETY DATA

ACOUSTIC WALL & CEILING FINISHES



SECTION 1 – PRODUCT & COMPANY IDENTIFICATION

Product identifier: Woven Image Acoustic Wall & Ceiling Finish Products

Other product names: EchoPanel® (9mm, 12mm, 24mm, Precision Cut [Orb, Current, Isle, Mosaic, Parquet, Ohm, Palace, Empire, Longitude, Latitude, Meridian, Align] , Print Collection [Cloudy, Fluid, Mineral, Astro, Frequency, Kaleidoscope, Otto, Trapeze, Trio, Canopy, Dapple, Kookaburra, Sprig, Starview], Array [Beam, Cathedral, Wedge, Taper, Turret, Valley, Viaduct, Wave, Flow], Balance 1340 Tile, Balance 670 Tile, Paling, Platoon, Pendent [Ion Duet, Tandem, Dot, Splay Summit]), Mura™, EchoVelour™ (25mm, 50mm), EchoFlex™, Embossed Panel Series (Zen, Gem, Ion, Pico, Umi & Nalu), Ion Duet, 3D Panel Series (Column & Curtain), 3D Tile Series (Ascent Tile, Dune Tile, Wave Tile, Fuji Hachi, Fuji Juni, Fuji Ku, Fuji Roku)

Product use: Acoustic wall finish; partitions; acoustic wall & ceiling finish where applicable

Supplier name: CSR Building Products Ltd

Supplier address: Trinita 3, Level 5, 39 Delhi Road, North Ryde NSW 2113 Australia

Phone: 1800 807 668 (available in Australia only)

SECTION 2 – HAZARDS IDENTIFICATION

This product is not classified as hazardous under Safe Work Australia GHS 7 criteria.

Poison schedule: Not applicable.

Dangerous goods classification: Not classified as Dangerous Goods for road or rail transport under the ADG Code or NZS 5433.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Proportion
Organic long chain synthetic polymer polyester (including 9-80% post-consumer recycled content and 20-22% copolyester)	25038-59-9	>95
Ethene, homopolymer / polyethylene	9002-88-4	<5%

SECTION 4 – FIRST AID

This product is non-irritant and does not present any health hazard during manufacture, normal handling, or use.

Inhalation: Remove to fresh air. Seek medical attention if symptoms persist.

Skin contact: Wash with soap and water. Seek medical attention if irritation persists.

Eye contact: Rinse carefully with clean water. Seek medical attention if irritation persists.

Ingestion: Rinse mouth with water. Do not induce vomiting. Seek medical attention if discomfort persists.

Advice to doctor: Treat symptomatically. Product is not expected to cause acute or chronic health effects under normal conditions of use.

MATERIAL SAFETY DATA

ACOUSTIC WALL & CEILING FINISHES



SECTION 5 – FIRE FIGHTING MEASURES

Hazchem code: Not applicable.

Suitable extinguishing media: If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards: Combustible material.

Fire fighting further advice: On burning or decomposing may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion or decomposition.

SECTION 6 – ACCIDENTAL RELEASE

Due to the physical nature of this nonwoven panel construction, accidental release is not likely.

Dangerous goods - initial emergency response guide no: Not applicable.

SECTION 7 – HANDLING & STORAGE

No special storage or handling requirements are necessary. Keep dry and avoid humidity, Store away from source of heat or ignition. Adoption of safe working practices is recommended.

SECTION 8 – EXPOSURE CONTROL/PERSONAL PROTECTION

No exposure standard or biological limit value is assigned for this product. Normal ventilation is adequate for handling and installation. If cutting, drilling or sanding, minimise dust using ventilation or extraction.

Wear task-appropriate PPE, including safety glasses, gloves and safety footwear. Use a P1/P2 respirator if dust is generated and not controlled.

Avoid inhaling dust. Wash hands after use. Do not eat, drink or smoke while handling.

SECTION 9 – PHYSICAL & CHEMICAL PROPERTIES

Appearance:	Solid
Odour:	Odourless
pH:	7.8
Melt point:	250°C (copolyester 90-100°C)
Vapour pressure:	N/A
Percentage volatiles:	Nil
Specific density:	1.38
Solubility:	Insoluble
Auto-ignition temperature:	>400°C
Decomposition temperature:	>300°C
Maximum service temperature:	80°C

MATERIAL SAFETY DATA

ECHOPANEL®



SECTION 10 – STABILITY & REACTIVITY

Chemical stability: Stable under normal temperature and pressure conditions and when used as directed.

Conditions to avoid: Avoid elevated temperatures, flames, sparks, and other ignition sources. Product will burn if exposed to flame.

Incompatible materials: Oxidising agents.

Chemical resistance: Resistant to weak acids, cold strong acids, weak alkalis, bleaches, most alcohols, ketones, soaps, detergents, and dry-cleaning agents.

Hazardous decomposition products: Combustion or decomposition may produce oxides of carbon and nitrogen, smoke, and toxic fumes.

Hazardous reactions: No known hazardous reactions.

SECTION 11 – TOXICOLOGICAL INFORMATION

Acute toxicity: not available

Skin corrosion/irritation: not available

Serious eye damage/irritation: not available

Respiratory or skin sensitisation: not available

Germ cell mutagenicity: not available

Carcinogenicity: not available

Reproductive toxicity: not available

SECTION 12 – ECOLOGICAL INFORMATION

Eco-toxicity: none

Persistence and degradability: not available

Bio-accumulation potential: not available

Mobility in soil: not available

Ozone depleting potential: not available

SECTION 13 – DISPOSAL CONSIDERATIONS

Use appropriate PPE when handling waste material; refer to Section 8. Where possible, recycle the product and packaging. Uncontaminated products will be taken back and recycled by Woven Image, where available. If recycling is not practicable, dispose of the material and packaging in accordance with applicable local, state and national regulations. Disposal to municipal landfill or incineration may be suitable where permitted by regulation.

MATERIAL SAFETY DATA

ACOUSTIC WALL & CEILING FINISHES



SECTION 14 – TRANSPORT INFORMATION

This product is not classified as Dangerous Goods for transport by road, rail, sea or air under the ADG Code, NZS 5433, IMDG Code or IATA Dangerous Goods Regulations.

No special transport requirements apply. Transport in manufacturer-recommended packaging. Keep packaging clean, dry and stowed flat where practicable.

SECTION 15 – REGULATORY INFORMATION

No hazardous classification or labelling is required under Australian WHS regulations.

SUSMP: Not applicable.

AICIS: All components are listed on, or exempt from, the Australian Inventory of Industrial Chemicals (AIIC).

This product is not subject to the Montreal Protocol, Stockholm Convention, Rotterdam Convention, Basel Convention or MARPOL.

SECTION 16 - OTHER INFORMATION

Reason for issue: Expanding product scope.

This Safety Data Sheet has been prepared by Chemical Data Services Pty Ltd on behalf of its client.

Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

Issue Date: 06/02/2026

Revised Date: 05/08/2026

Document Number: SDS_WI_AP_01