

# EchoPanel® Adapt Social

**Designer:** Woven Image

**Application(s):** Workstations

## Composition & Pattern

**Composition** 100% PET (60% post-consumer recycled)

**Colours Available** 3

## Kit & Box Content

**Box Contents** 1 x Adapt Social desk screen & 2 x Desk clamps

**Component Details** 908 coloured clamp with Adapt Classic 454  
542 coloured clamp with Adapt Classic 442 & 542

## Dimensions & Weight

**Dimensions** Length: 1790mm (+/- 2mm), Width: 544mm (+/- 2mm), Thickness: 24mm (+/- 7%)

**Unit of Sale** Box

**Unit of Sale Net Weight (kg)** 3.2

## Performance

|                                                                             |                                                                                                   |
|-----------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <b>Fire Test Result</b>                                                     | ISO 9705: Group 1, BS EN 13501.1: Classification B - s1, d0, ASTM E84 Unadhered: Class 1 or A     |
| <b>Acoustic Performance Standard Test Method</b>                            | AS ISO 354: 2006 (R2016)                                                                          |
| <b>Noise Reduction Coefficient (NRC) Result</b>                             | EchoPanel® 24mm achieves:<br>Direct fix: 0.65, 20mm air gap: 0.75, 50mm air gap: 0.85             |
| <b>Sound Absorption Average (SAA) Result</b>                                | EchoPanel® 24mm achieves:<br>Direct fix: 0.63                                                     |
| <b>Weighted Sound Absorption Coefficient (<math>\alpha_w</math>) Result</b> | EchoPanel® 24mm achieves: Direct fix: 0.45 (MH), 20mm air gap: 0.50 (MH), 50mm air gap: 0.70 (MH) |
| <b>Sound Absorption Class</b>                                               | D (Direct fix)                                                                                    |
| <b>Additional Acoustic Information</b>                                      | Sound Absorption Class result is based on EchoPanel® 24mm. MH = Mid to High Frequency             |
| <b>Colour Fastness to Light Standard Test Method</b>                        | ISO 105 B02                                                                                       |
| <b>Colour Fastness Light Rating</b>                                         | 6 - 7                                                                                             |

## Sustainability

|                                           |                                                                                                                                                                                                                                                     |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>VOC Emissions Results</b>              | EchoPanel 24mm achieves ASTM D5116: TVOC Emissions Rate: $<0.02\text{mg}/\text{m}^2/\text{hr}$ (7 days), and CDPH Standard Method v1.2: TVOC Emissions Rate: $<0.054\text{mg}/\text{m}^3$ ; Formaldehyde Emissions Rate: $<2\mu\text{g}/\text{m}^3$ |
| <b>Sustainability Performance</b>         |                                                                                                                                                                  |
| <b>Sustainability Performance Details</b> | EchoPanel achieves GreenTag Certification GreenRate: Level A &                                                                                                                                                                                      |


Health Rate Platinum, Red List Free, and has an International Living Future Institute Declare Label.

Instructions

**Additional Information** See Woven Image EchoPanel Care & Cleaning Guide.  
See Woven Image EchoPanel Adapt Installation Guide.

Exact colour matching cannot be guaranteed between batches.  
Fibre mix and web variation are natural characteristics of this product.

**KIT CONTENTS:**



**1 X Desk Screen**



**2 X Desk Clamps**

**OVERALL ASSEMBLY (DESK NOT INCLUDED):**

