

# ECHOPANEL® COLLECTION





CONTENTS

ECHOPANEL® COLLECTION ..... 01

ENVIRONMENTAL STORY..... 02

COLOUR STORY..... 05

COLOUR PALETTE ..... 06

SPECIFICATIONS & PERFORMANCE ..... 07

PRECISION CUT DESIGNS..... 08

ECHOPANEL® ORB ..... 10

ECHOPANEL® CURRENT ..... 11

ECHOPANEL® MOSAIC..... 12

ECHOPANEL® PARQUET ..... 13

ECHOPANEL® ISLE ..... 14

ECHOPANEL® ALIGN ..... 15

ECHOPANEL® OHM ..... 16

ECHOPANEL® PALACE..... 17

ECHOPANEL® EMPIRE..... 18

ECHOPANEL® LATITUDE..... 19

ECHOPANEL® LONGITUDE ..... 20

ECHOPANEL® MERIDIAN ..... 21

PRODUCT PORTFOLIO ..... 22

ECHOPANEL® ARRAY ..... 24

ECHOPANEL® ELEMENT ..... 25

PENDENTS & SCREENS ..... 26

BALANCE ACOUSTIC TILES ..... 27

ECHOPANEL® ADAPT ..... 28

PRINT DESIGNS..... 29



Cover image: EchoPanel® EchoPanel® ORB in colour 495 & on arch,  
EchoPanel® 12mm in colour 454  
This page: EchoPanel® 12mm in colour 660

**Disclaimer** Due different screen configurations, images may not represent the true colour.  
Always confirm your colour choice with your Woven Image Representative.

We recommend you request a sample prior to ordering.

Invented and launched by Woven Image in 2004, EchoPanel® is the original decorative interior panelling solution, with acoustic qualities and eco-innovation at its core.

EchoPanel® reduces and controls reverberated noise in shared environments, making it ideal for use in a variety of commercial interior spaces including workplace, education and hospitality environments.

It is a streamlined product with a fabric-like finish, designed with dematerialisation in mind. Once it has been installed, there is no need to upholster, paint or protect it.

Pioneering the war against single-use plastic, EchoPanel® production uses post-consumer recycled PET bottles to create a superior upcycled product with a vast array of interior applications.

EXTENSIVE PRODUCT RANGE

EchoPanel® offers an extensive colour palette that is tailored over time to match design trends. The solid colour remains consistent throughout the thickness of the panel, so you can cut, create and install without the need for edging or capping.

EchoPanel® also boasts an extensive range of inspiring prints and precision cut designs, making it the go-to brand for creative Architects and Interior Designers.

Offered in 2 panel thicknesses; 12mm and 24mm. Panel sizes are 2800mm x 1200mm<sup>1</sup> and precision cut panels are 2750mm x 1100mm, except for Align which is 2750mm x 1180mm<sup>1</sup>, allowing for a seamless floor-to-ceiling application.

APPLICATIONS

EchoPanel® is durable, lightweight, and easy to cut and install, making it ideal for a multitude of wall, ceiling and free-standing interior applications. Frequent installations include:

- Wall panelling: direct fix installation or create an air gap for greater acoustic performance.

- Feature wall tiling<sup>2</sup>.
- Ceiling applications: direct fix, suspended systems or baffles.
- Workstations: due to its pinnable nature, it is ideal for single or double-sided division on a workstation.
- Free-standing partitioning systems<sup>2</sup>: ideal in the 24mm thickness.
- Hanging pendants<sup>2</sup>: for dividing a space with privacy and acoustic control.

The Woven Image inhouse Design and Commercial Services teams offer Architects and Designers endless possibilities when it comes to creating a bespoke designer look. Providing expert advice on ceiling installations, custom printing and custom precision cutting projects, as well as supplying complex design CAD drawings and technical plans.

ACOUSTIC CONTROL

Controlling reverberated noise is a crucial factor in creating comfortable and productive environments, be it a professional workplace, learning environment, social setting or other public spaces.

EchoPanel® is optimised for acoustic performance and has been independently tested, in accordance with AS ISO 354: 2006 (R2016). Sound performance indices have been calculated in accordance with AS ISO 11654: 2002 (2016), with NRC and SAA defined by ASTM C423 - 17.

DESIGNED FOR COMMERCIAL INTERIORS

EchoPanel® has undergone many forms of industry testing and complies with some of the world’s highest mandatory standards.

It holds first-class fire ratings in Australasian and International markets, achieving a Group 1 rating in the ‘ISO 9705’ full-scale room fire test. EchoPanel® 12mm has also been awarded the internationally recognised ‘BS EN 13501.1: Classification B - s1, d0’.

<sup>1</sup> Manufacturing tolerances apply  
<sup>2</sup> Visit [wovenimage.com](https://www.wovenimage.com)



# ENVIRONMENTAL STORY

Pioneering the war against single-use plastic, EchoPanel® production uses post-consumer recycled PET bottles to create a superior upcycled product with a vast array of interior applications.

Dematerialisation, recycling, upcycling and life cycle management were, and still are, at the foundation of EchoPanel®'s design.




## ENVIRONMENTAL CERTIFICATION

EchoPanel® is a Climate Active certified Carbon Neutral Product which achieves Global GreenTag™ certification (Green Rate Level A) with the maximum Product Health Declaration™: Platinum Health for EchoPanel® plain colours<sup>3</sup>. It is Red List Free and has published ingredient transparency with Declare.

Furthermore, EchoPanel® can secure credits under the following sustainable building rating tools:

- Green Star, as administered by Green Building Council Australia.
- WELL™ Building Standard, International WELL Building Institute.
- Leadership in Energy and Environmental Design (LEED v4.1).

EchoPanel®'s acoustic benefits, along with its extensive colour, design and customisation properties, offers designers the freedom to create stylish, unique and sustainable interior spaces.



<sup>3</sup>Visit [wovenimage.com](https://www.wovenimage.com) for further information, or a copy of our full Environmental Product Declaration




EchoPanel® EMPIRE & ALIGN in colour 550



COLOUR STORY



EchoPanel® PARQUET in colour 495, EchoPanel® 12mm in colour 365




EchoPanel® is available in a comprehensive range of neutral, mid tone and vibrant colours. Due to its unique manufacturing process, the colour remains consistent throughout the depth of the panel.

The standard 12mm range includes all 34 colours, with a selection of these colours also available in 7mm and 24mm thickness.




COLOUR PALETTE



QUICK REFERENCE GUIDE

PANEL DIMENSIONS: 12mm x 2800mm x 1200mm | 0.47" x 110.24" x 47.24"  
24mm x 2800mm x 1200mm | 0.94" x 110.24" x 47.24"



SPECIFICATIONS

PRODUCT	ECHOPANEL® 12mm Plain	ECHOPANEL® 24mm Plain
COMPOSITION	100% PET (60%-80% post-consumer recycled)*	100% PET (60% post-consumer recycled)
WEIGHT	8kg	10kg
THICKNESS	12mm (+/- 7%)	24mm (+/- 7%)
PANEL DIMENSIONS	2800mm (+/- 10mm) x 1200mm (+/- 5mm)	2800mm (+/- 10mm) x 1200mm (+/- 5mm)

PERFORMANCE

COLOUR FASTNESS TO LIGHT	ISO 105 B02: Rating 6 - 7	ISO 105 B02: Rating 6 - 7
FIRE TEST	AS 1530.3 BS EN 13501.1: Classification B - s1, d0 ISO 9705: Group 1 BS EN 45545-2 + A1 Annex C: CIT: 0.05 ASTM E84 Unadhered: Class 1 or A GB 8624 B1	BS EN 13501.1: Classification B - s1, d0 ISO 9705: Group 1 BS EN 45545-2 + A1 Annex C: CIT: 0.00 ASTM E84 Unadhered: Class 1 or A
SOUND ABSORPTION	AS ISO 354: 2006 (R2016) AS ISO 11654: 2002 (2016) ASTM C423 - 17 (direct fix results) αw: 0.30 (MH) NRC: 0.45 SAA: 0.43 Class: D	AS ISO 354: 2006 (R2016) (direct fix results) αw: 0.45 (MH) NRC: 0.65 SAA: 0.63 Class: D
FLEXURAL PROPERTIES	ISO 1209 - 1: 2007 @20mm Deflection Direction 1 = 37.3N, Direction 2 = 39.1N	ISO 1209 - 1: 2007 @20mm Deflection Direction 1 = 39.7N, Direction 2 = 39.8N
VOC EMISSIONS	ASTM D5116 - 2017: TVOC Emissions Rate: 0.033mg/m²/hr (24hrs); Formaldehyde Emissions Rate: 0.07mg/m²/hr. CDPH Standard Method v1.2 - 2017 (CA 01350): TVOC Emissions Rate: 0.013mg/m³; Formaldehyde Emissions Rate: <1µg/m³	ASTM D5116: TVOC Emissions Rate: <0.02mg/m²/hr (7 days), and CDPH Standard Method v1.2: TVOC Emissions Rate: <0.054mg/m³; Formaldehyde Emissions Rate: <2µg/m³

\*As part of our ongoing commitment to sustainability, we are increasing the amount of post-consumer PET in EchoPanel® 12mm, from 60% to 80%. We anticipate all stock to have transitioned by January 2025.





# PRECISION CUT DESIGNS





# ECHOPANEL® ORB



EchoPanel® ORB in colour 495

COLOURS	Full EchoPanel® 12mm & 24mm colour range - see page 6
PANEL DIMENSIONS	2750mm (+/- 2mm) x 1100mm (+/- 2mm)   108.27" (+/-0.08") x 43.31" (+/-0.08")
PANEL THICKNESS	12mm   0.47" 24mm   0.94"

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com)

# ECHOPANEL® CURRENT



EchoPanel® CURRENT in colour 454

COLOURS	Full EchoPanel® 12mm & 24mm colour range - see page 6
PANEL DIMENSIONS	2750mm (+/- 2mm) x 1100mm (+/- 2mm)   108.27" (+/-0.08") x 43.31" (+/-0.08")
PANEL THICKNESS	12mm   0.47" 24mm   0.94"

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com)



ECHOPANEL® MOSAIC



EchoPanel® MOSAIC in colours 573 & 721

COLOURS	Full EchoPanel® 12mm & 24mm colour range - see page 6
PANEL DIMENSIONS	2750mm (+/- 2mm) x 1100mm (+/- 2mm)   108.27" (+/-0.08") x 43.31" (+/-0.08")
PANEL THICKNESS	12mm   0.47" 24mm   0.94"

For additional specifications and performance details please visit [wovenimage.com](https://www.wovenimage.com)

ECHOPANEL® PARQUET



EchoPanel® PARQUET in colour 495

COLOURS	Full EchoPanel® 12mm & 24mm colour range - see page 6
PANEL DIMENSIONS	2750mm (+/- 2mm) x 1100mm (+/- 2mm)   108.27" (+/-0.08") x 43.31" (+/-0.08")
PANEL THICKNESS	12mm   0.47" 24mm   0.94"

For additional specifications and performance details please visit [wovenimage.com](https://www.wovenimage.com)



# ECHOPANEL® ISLE



EchoPanel® ISLE in colour 106

COLOURS	Full EchoPanel® 12mm & 24mm colour range - see page 6
PANEL DIMENSIONS	2750mm (+/- 2mm) x 1100mm (+/- 2mm)   108.27" (+/-0.08") x 43.31" (+/-0.08")
PANEL THICKNESS	12mm   0.47" 24mm   0.94"

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com)

# ECHOPANEL® ALIGN



EchoPanel® ALIGN in colour 349

COLOURS	Full EchoPanel® 12mm & 24mm colour range - see page 6
PANEL DIMENSIONS	2750mm (+/- 2mm) x 1180mm (+/- 2mm)   108.27" (+/-0.08") x 46.46" (+/-0.08")
PANEL THICKNESS	12mm   0.47" 24mm   0.94"

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com)



# ECHOPANEL® OHM



EchoPanel® OHM in colour 454

COLOURS	Full EchoPanel® 12mm & 24mm colour range - see page 6
PANEL DIMENSIONS	2750mm (+/- 2mm) x 1180mm (+/- 2mm)   108.27" (+/-0.08") x 46.46" (+/-0.08")
PANEL THICKNESS	12mm   0.47" 24mm   0.94"

For additional specifications and performance details please visit [wovenimage.com](https://www.wovenimage.com)

# ECHOPANEL® PALACE



EchoPanel® PALACE in colour 349

COLOURS	Full EchoPanel® 12mm & 24mm colour range - see page 6
PANEL DIMENSIONS	2750mm (+/- 2mm) x 1180mm (+/- 2mm)   108.27" (+/-0.08") x 46.46" (+/-0.08")
PANEL THICKNESS	12mm   0.47" 24mm   0.94"

For additional specifications and performance details please visit [wovenimage.com](https://www.wovenimage.com)



ECHOPANEL® EMPIRE



EchoPanel® EMPIRE in colour 365

COLOURS	Full EchoPanel® 12mm & 24mm colour range - see page 6
PANEL DIMENSIONS	2750mm (+/- 2mm) x 1180mm (+/- 2mm)   108.27" (+/-0.08") x 46.46" (+/-0.08")
PANEL THICKNESS	12mm   0.47" 24mm   0.94"

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com)

ECHOPANEL® LATITUDE



EchoPanel® LATITUDE in colour 384

COLOURS	Full EchoPanel® 12mm & 24mm colour range - see page 6
PANEL DIMENSIONS	2750mm (+/- 2mm) x 1180mm (+/- 2mm)   108.27" (+/-0.08") x 46.46" (+/-0.08")
PPANEL THICKNESS	12mm   0.47" 24mm   0.94"

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com)



# ECHOPANEL® LONGITUDE



EchoPanel® LONGITUDE in colour 447

COLOURS	Full EchoPanel® 12mm & 24mm colour range - see page 6
PANEL DIMENSIONS	2750mm (+/- 2mm) x 1180mm (+/- 2mm)   108.27" (+/-0.08") x 46.46" (+/-0.08")
PANEL THICKNESS	12mm   0.47" 24mm   0.94"

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com)

# ECHOPANEL® MERIDIAN



EchoPanel® MERIDIAN in colours 454 and 580, pinboard in EchoPanel® 12mm 167

COLOURS	Full EchoPanel® 12mm & 24mm colour range - see page 6
PANEL DIMENSIONS	2750mm (+/- 2mm) x 1180mm (+/- 2mm)   108.27" (+/-0.08") x 46.46" (+/-0.08")
PANEL THICKNESS	12mm   0.47" 24mm   0.94"

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com)




# PRODUCT PORTFOLIO





# ECHOPANEL® ARRAY



EchoPanel® 12mm in colour 468 **Project:** Flinders University **Designer:** Architectus **Photographer:** Shannon McGrath

EchoPanel® Array is an acoustic ceiling baffle solution utilising 12mm (0.47”) and 24mm (0.94”) EchoPanel®, with streamlined hardware engineered for easy installation, and scalable for both small and large applications.

Woven Image have developed Array to require up to 60% less hardware compared to most other baffle solutions on the market. Array baffles can be directly fixed to ceilings or suspended. It is available to be used in both horizontal and vertical applications, allowing for a seamless finish from ceiling to wall.

Choose from beautifully crafted baffles from the extensive EchoPanel® colour palette, or work with us to create your own unique designs. Baffle and ceiling hardware dimensions will vary depending on project requirements. Exact quantities, measurements and drawings will be provided upon project specification.

Ceiling hardware:



**ARRAY RAIL**  
2.5m long aluminium rail that holds Array baffles in place. In white or black powder coat.



**SNAP COVERS**  
2.5m long aluminium profile, cut to size and snapped into the underside of Array rails to create spacing between Array baffles.



**END CAPS**  
Screwed onto the end of a rail for a clean finish. (Tek screws included)

Additional hardware:



**JOINER PLATE**  
To connect multiple rail runs for larger ceiling applications (Tek screws included).



**SUSPENSION KIT**  
To suspend Array baffles, rails and Fuji tiles from ceiling.

For additional specifications and performance details please visit [wovenimage.com](https://www.wovenimage.com)

# ECHOPANEL® ELEMENT




EchoPanel® ELEMENT in colour 542

EchoPanel® Element is a practical, design-led acoustic ceiling solution. It is easy to install, fixing directly to a ceiling or attaching to a ceiling grid using cleverly designed translucent clips.

There is also the option to order a suspension kit solution, allowing EchoPanel® Element to appear to float, creating a design focus, as well as providing an acoustic baffle. There are 3 different colours available, all chosen to enhance a variety of contemporary commercial interior settings.



EchoPanel® ELEMENT 454 suspended



EchoPanel® ELEMENT 442 clipped to ceiling grid

For additional specifications and performance details please visit [wovenimage.com](https://www.wovenimage.com)



# PENDENTS & SCREENS



EchoPanel® SUMMIT pendants in colours 442 and 365

EchoPanel® Space Dividers allow designers to stylishly define areas within open-plan spaces, whilst delivering privacy and acoustic control. The range includes ceiling-suspended pendants and free-standing space dividers.



EchoPanel® PALING space divider in colour 542 with cream pivot joiners


For additional specifications and performance details please visit [wovenimage.com](https://www.wovenimage.com)

# BALANCE ACOUSTIC TILES



BALANCE 1340 tiles in colour 330

Balance acoustic tiles are made using 24mm EchoPanel® for enhanced sound absorption performance. Available in 2 styles; Balance 670 and Balance 1340, they are designed with a classic cut chamfer on all edges to create a seamless shadow-filled join between tiles. Both styles can be easily installed horizontally or vertically, on walls to configure your own unique design.



BALANCE 1340 tiles in colour 454 and BALANCE 670 tiles in colour 384

For additional specifications and performance details please visit [wovenimage.com](https://www.wovenimage.com)



# ECHOPANEL® ADAPT



EchoPanel® ADAPT CLASSIC  
screen in colour 454 with  
cream desk clamps

EchoPanel® Adapt workstation screens are available in two different sizes (Adapt Classic: 1790mm x 780mm and Adapt Social: 1790mm x 544mm). They are pinnable, provide privacy and assist in reducing reverberated noise in work spaces. Choose from 3 colours in the EchoPanel® 24mm range.

They are easy to install using our unique desk clamps which are available in charcoal (542) and cream (908) colours.



EchoPanel® ADAPT SOCIAL in colour 542 with charcoal desk clamps

For additional specifications and performance details please visit [wovenimage.com](https://www.wovenimage.com)

# PRINT DESIGNS

Shown here are a small selection of our printed EchoPanel® designs, each available in 20 colours to complement the EchoPanel® colour palette. These can be printed single or double-sided, making them suitable for walls, ceilings and partitions.

Woven Image has a long history of working with global design and manufacturing clients to deliver unique customised prints. Contact us to discuss your project requirements.



Otto Frequency Trapeze Trio Astro Kaleidoscope

## Michael Jouney COLLECTION



Cloudy Fluid Mineral



EchoPanel® TRAPEZE print in colour 365

For additional specifications and performance details please visit [wovenimage.com](https://www.wovenimage.com)





**w/i**  
WOVEN IMAGE®