

ACOUSTIC COLLECTION

WOVEN IMAGE STORY	J 2
ECHOPANEL® COLLECTION0) 4
CEILING COLLECTION2	24
SPACE DIVIDING COLLECTION 3	36
MURA COLLECTION4	46
EMBOSSED PANEL COLLECTION 5	50
ACOUSTIC TILE COLLECTION	6 O
ACOUSTIC FABRIC	70
PRINT DESIGNS	72

Disclaimer Due different screen configurations, images may not represent the true colour. Always confirm your colour choice with your Woven Image Sales Representative.


We recommend you request a sample prior to ordering.









MANUFACTURING PROCESS OF **ECHOPANEL® & MURA**




Bottles made from PET identified by 🕸 are collected from consumers.



Contaminents like lids and sticky labels are removed. Bottles are chipped into tiny pellets.




3. Pellets are washed and sanitised.




Pellets and colour are fed into a hopper. A heater at the base of the hopper melts the pellets to form a free-flowing resin.



5. Resin is pumped through a sophisticated shower-rose device, known as a Spinneret.



Cold air fans 'set' the fine fibres extruded from the Spinneret.



then blended into a web.

7. Fibres are drawn and cut,

8. Web is compressed to make board ready for

Established in 1987, Woven Image is an international interior finishes company with sustainability and design leadership at its core.

From humble beginnings in Sydney, Woven Image now has offices throughout Australia as well as Singapore, Hong Kong and China, and a network of distributors and stockists across all major markets including Europe and the UK, Asia and the Middle East, and The Americas.

The product portfolio consists of acoustic finishes such as EchoPanel®, suitable for wall, ceiling and space dividing applications in interior spaces including workplace, hospitality, education and healthcare sectors.

OUR ENVIRONMENTAL STORY

The Woven Image portfolio has been designed with dematerialisation, upcycling and lifecycle management front of mind. All base materials in this collection utilise recycled or waste materials and printed designs use non-toxic inks with low VOCs.

Woven Image achieves first-class environmental certifications for its key products, including Global GreenTag™ certification (GreenRate Level A), with the maximum Product Health Declaration™ Platinum Health and an Environmental Product Declaration (EPD). As a result, specifying these products can secure credits under sustainable building tools including Leadership in Energy and Environmental Design (LEED v4.1), WELL™ Building Standard and Green Star. Woven Image is also a long-term supporter of Greenfleet and offsets its carbon emissions through their bio-diverse program.

Invented and launched by Woven Image in 2004, EchoPanel® is the original decorative interior panelling solution, with acoustic qualities and eco-innovation at its core. EchoPanel® production uses post-consumer recycled PET bottles to create a superior upcycled product, with a 10-year life expectancy, after which the material is still 100% recyclable. Since 2022, Woven Image have also committed to offset the embodied carbon of EchoPanel® acoustic panels to zero.

EchoPanel® is available in a comprehensive range of neutral, mid-tone and vibrant colours. Due to its unique manufacturing process, the colour remains consistent throughout the depth of the panel.

EchoPanel® is pinnable, durable, lightweight and easy to cut and install, making it ideal for a multitude of wall, ceiling and free-standing commercial interior applications. Available in 12mm (0.47") and 24mm (0.94") thicknesses.
















ECHOPANEL® COLLECTION

ECH	HOPANEL® PALETTE	0
PRE	ECISION CUT DESIGNS	08
	ECHOPANEL® PALACE	10
	ECHOPANEL® OHM	12
	ECHOPANEL® EMPIRE	14
	ECHOPANEL® LONGITUDE	16
	ECHOPANEL® LATITUDE	18
	ECHOPANEL® MERIDIAN	20
	ECHOPANEL® ALIGN	22



ECHOPANEL® COLLECTION

ECHOPANEL® PALETTE



PANEL DIMENSIONS

2800mm (+/-10mm) x 1200mm (+/-5mm) | 110.24" (+/-0.39") x 47.24" (+/-0.2")

PANEL THICKNESS

12mm (+/-7%) | 0.47" (+/-7%) **24mm** (+/-7%) | 0.94" (+/-7%)

SOUND ABSORPTION

AS ISO 354: 2006 (R2016) - direct fix results

12mm 0.30 (MH) (0.47")NRC 0.45 SAA 0.43

> Class D


24mm 0.45 (MH) α_{W} (0.94")NRC 0.65 SAA 0.63

Class

QUICK REFERENCE GUIDE


PANEL DIMENSIONS

12mm x 2800mm x 1200mm | **0.47"** x 110.24" x 47.24" **24mm** x 2800mm x 1200mm | **0.94"** x 110.24" x 47.24"



For additional specifications and performance details please visit wovenimage.com **HERE**





COLOURS Full EchoPanel® colour range - see page 7

PANEL DIMENSIONS 2750mm (+/-2mm) x 1100mm (+/-2mm) | 108.27" (+/-0.08") x 43.31" (+/-0.08")

PANEL THICKNESS 12mm (+/-7%) | 0.47" (+/-7%)

24mm (+/-7%) | 0.94" (+/-7%)

SOUND ABSORPTION

AS ISO 354: 2006 (R2016) - direct fix results

12mm αw 0.30 (MH)

(0.47") NRC 0.45

SAA 0.43

Class D

24mm αw 0.45 (MH) (0.94") NRC 0.65

SAA 0.63 Class D

For additional specifications and performance details please visit wovenimage.com **HERE**



COLOURS Full EchoPanel® colour range - see page 7

PANEL DIMENSIONS 2750mm (+/-2mm) x 1100mm (+/-2mm) | 108.27" (+/-0.08") x 43.31" (+/-0.08")

PANEL THICKNESS 12mm (+/-7%) | 0.47" (+/-7%)


24mm (+/-7%) | 0.94" (+/-7%)

SOUND ABSORPTION

AS ISO 354: 2006 (R2016) - direct fix results

12mm 0.30 (MH) α w (0.47")0.45 NRC SAA 0.43 D Class 24mm α_{W} 0.45 (MH) (0.94")NRC 0.65 0.63 SAA Class D

For additional specifications and performance details please visit wovenimage.com **HERE**



COLOURS Full EchoPanel® colour range - see page 7

2750mm (+/-2mm) x 1100mm (+/-2mm) I 108.27" (+/-0.08") x 43.31" (+/-0.08") PANEL DIMENSIONS

12mm (+/-7%) | 0.47" (+/-7%) PANEL THICKNESS

24mm (+/-7%) | 0.94" (+/-7%)

SOUND ABSORPTION

AS ISO 354: 2006 (R2016) - direct fix results

12mm α w 0.30 (MH)

(0.47")NRC 0.45 SAA 0.43


> D Class

24mm α_{W} 0.45 (MH) (0.94")

0.65 NRC SAA 0.63 D

Class

For additional specifications and performance details please visit wovenimage.com **HERE**



Full EchoPanel® colour range - see page 7 COLOURS

PANEL DIMENSIONS 2750mm (+/-2mm) x 1100mm (+/-2mm) I 108.27" (+/-0.08") x 43.31" (+/-0.08")

PANEL THICKNESS **12mm** (+/-7%) | 0.47" (+/-7%)

24mm (+/-7%) | 0.94" (+/-7%)

SOUND ABSORPTION

AS ISO 354: 2006 (R2016) - direct fix results

12mm α w 0.30 (MH) NRC 0.45 (0.47")SAA 0.43 D

Class

24mm α_{W} 0.45 (MH) (0.94")NRC 0.65 SAA 0.63 Class D

For additional specifications and performance details please visit wovenimage.com **HERE**

ECHOPANEL® LATITUDE



EchoPanel® **LATITUDE** in colour 384

COLOURS Full EchoPanel® colour range - see page 7

PANEL DIMENSIONS 2750mm (+/-2mm) x 1100mm (+/-2mm) | 108.27" (+/-0.08") x 43.31" (+/-0.08")

PANEL THICKNESS 12mm (+/-7%) | 0.47" (+/-7%)

24mm (+/-7%) | 0.94" (+/-7%)

SOUND ABSORPTION

AS ISO 354: 2006 (R2016) - direct fix results

12mm αw 0.30 (MH) (0.47") NRC 0.45

SAA 0.43


Class D

24mm αw 0.45 (MH) (0.94") NRC 0.65

SAA 0.63 Class D

For additional specifications and performance details please visit wovenimage.com **HERE**







EchoPanel® **MERIDIAN** in colours 580 & 454

COLOURS Full EchoPanel® colour range - see page 7

PANEL DIMENSIONS 2750mm (+/-2mm) x 1100mm (+/-2mm) | 108.27" (+/-0.08") x 43.31" (+/-0.08")

PANEL THICKNESS 12mm (+/-7%) | 0.47" (+/-7%)


24mm (+/-7%) | 0.94" (+/-7%)

SOUND ABSORPTION

AS ISO 354: 2006 (R2016) - direct fix results

0.30 (MH) 12mm α w (0.47")NRC 0.45 SAA 0.43 D Class 24mm α_{W} 0.45 (MH) 0.65 (0.94")NRC SAA 0.63 Class D

For additional specifications and performance details please visit wovenimage.com **HERE**



COLOURS Full EchoPanel® colour range - see page 7

PANEL DIMENSIONS 2750mm (+/-2mm) x 1180mm (+/-2mm) | 108.27" (+/-0.08") x 46.46" (+/-0.08")

PANEL THICKNESS 12mm (+/-7%) | 0.47" (+/-7%)

24mm (+/-7%) | 0.94" (+/-7%)

SOUND ABSORPTION

AS ISO 354: 2006 (R2016) - direct fix results

12mm αw 0,30 (MH) (0.47") NRC 0,45 SAA 0,43

SAA 0,43 Class D

24mm αw 0,45 (MH) (0.94") NRC 0,65

SAA 0,63 Class D

For additional specifications and performance details please visit wovenimage.com **HERE**

Woven Image offer design-driven and highperformance acoustic ceiling solutions, to control reverberated noise in commercial interior spaces.

EchoPanel® Array is an acoustic ceiling baffle solution utilising 12mm (0.47") and 24mm (0.94") EchoPanel®, with streamlined hardware engineered for easy installation, and scalable for both small and large applications. Choose from beautifully crafted baffles in the extensive EchoPanel® colour palette, or work with us to create your own unique designs.

Fuji is a range of decorative 3D formed ceiling tiles, offering superb acoustic absorption. Fuji tiles can be installed with or without the Array ceiling hardware, with options to direct-fix or suspend from the ceiling and integrate a variety of lighting options.

EchoPanel® Element comprises of a series of cut EchoPanel® blades which slot together to form a square lattice. Element can be attached to existing ceiling grids, or directly fixed or suspended from the ceiling.

Woven Image's inhouse Commercial Service team provide industry expertise, advice and CAD technical plans and drawings, to ensure ceiling projects are delivered to the highest standards.



CEILING COLLECTION

ECHOPANEL® ARRAY 12mm & 24mm

EchoPanel® Array baffle and ceiling hardware dimensions will vary depending on project requirements. Exact quantities, measurements and drawings will be provided upon project specification.

Standard baffle designs are 2780mm in length and vary in depth, please see below:

BEAM	TURRET
2780mm length x 200mm depth (+/-5mm)	2780mm length x 300mm depth (+/-5mm)
2780mm length x 300mm depth (+/-5mm)	VALLEY
WEDGE	2780mm length x 300mm depth (+/-5mm)
2780mm length x 200mm depth (+/-5mm)	VIADUCT
2780mm length x 300mm depth (+/-5mm)	2780mm length x 300mm depth (+/-5mm)
TAPER	WAVE
2780mm length x 300mm depth (+/-5mm)	2780mm length x 267mm depth (+/-5mm)
CATHEDRAL	FLOW
2780mm length x 300mm depth (+/-5mm)	2780mm length x 300mm depth (+/-5mm)



COLOURS Full EchoPanel® colour range - see page 7

DIMENSIONS For standard baffle styles & dimensions - see page 27

SOUND ABSORPTION 12mm (+/-7%) | 0.47" (+/-7%) - direct fix results

AS ISO 354: 2006 (R2016) AS ISO 11654: 2002 (2016)

ASTM C423 - 17

 αw
 0.65 (H)

 NRC
 0.70

 SAA
 0.68

 Class
 C

SOUND ABSORPTION 24mm (+/-7%) | 0.94" (+/-7%) - direct fix results

AS ISO 354: 2006 (R2016) AS ISO 11654: 2002 (2016)

ASTM C423 - 17

 αw
 0.75 (MH)

 NRC
 0.85


 SAA
 0.83

 Class
 C

For additional specifications and performance details please visit wovenimage.com **HERE**

CEILING COLLECTION

FUJI



ARRAY RAILS in colours black & white

BARREL KITS in colours onyx, off-white & onyx/gold

COLOURS	Stocked
COLOGICO	Stocket

ed in 4 standard colours – full Mura colour range available on request, see page 48. Barrel kits allow Fuji tiles to be directly fixed to the ceiling or to the Array ceiling rail.

DIMENSIONS

FUJI KU 840mm (+/-3mm) x 840mm (+/-3mm) x 132mm (+/-3mm)

33.07" (+/-0.12") x 33.07" (+/-0.12") x 5.2" (+/-0.12")

1740mm (+/-3mm) x 840mm (+/-3mm) x 132mm (+/-3mm) 68.5" (+/-0.12") x 33.07" (+/-0.12") x 5.2" (+/-0.12")

THICKNESS

4.6mm (+/-2mm) | 0.18" (+/-0.08")

SOUND ABSORPTION

AS ISO 11654: 2002 (2016) | AS ISO 354: 2006 (R2016) | ASTM C423 - 17,

with perimeter

FUJI KU

FUJI HACHI

0.80 α_{W} NRC 0.75 SAA 0.74 **FUJI HACHI** 0.85 α_{W} NRC 0.80

0.76 SAA





COLOURS Stocked in 4 standard colours – full Mura colour range available on request, see

page 48. Barrel kits allow Fuji tiles to be directly fixed to the ceiling or to the

Array ceiling rail.

DIMENSIONS FUJI ROKU 560mm (+/-3mm) x 560mm (+/-3mm) x 90mm (+/-3mm)

22.05" (+/-0.12") x 22.05" (+/-0.12") x 3.54" (+/-0.12")

FUJI JUNI 560mm (+/-3mm) x 1160mm (+/-3mm) x 90mm (+/-3mm)

22.05" (+/-0.12") x 45.67" (+/-0.12") x 3.54" (+/-0.12")

THICKNESS 4.6mm (+/-2mm) | 0.18" (+/-0.08")

SOUND ABSORPTION AS ISO 11654: 2002 (2016) | AS ISO 354: 2006 (R2016) | ASTM C423 - 17,

with perimeter

FUJI ROKU αw 0.75 NRC 0.70

SAA 0.72

FUJI JUNI αw 0.80 NRC 0.80

NRC 0.80 SAA 0.76

For additional specifications and performance details please visit wovenimage.com **HERE**

CEILING COLLECTION

ECHOPANEL® ELEMENT







442

542





EchoPanel® **ELEMENT** in colour 454 suspended

EchoPanel® **ELEMENT** in colour 442 clipped to ceiling grid

ASSEMBLED DIMENSIONS 2350mm (+/-2mm) x 2350mm (+/-2mm) x 215mm (+/-2mm)

92.52" (+/-0.08") x 92.52" (+/-0.08") x 8.46" (+/-0.08")

BLADE THICKNESS 24mm (+/-7%) | 0.94" (+/-7%)

AS ISO 11654: 2002 (2016) **SOUND ABSORPTION**

ASTM C423 - 17

0.40 0.35 0.36 SAA Class

BOX COMPONENTS 8 x EchoPanel® blades

16 x ceiling clips

Suspension kit sold separately




These products allow open plan spaces, typical of modern workplace and hospitality environments, to be partitioned with ease and flexibility whilst reducing reverberated noise to improve both comfort and productivity.



SPACE DIVIDING COLLECTION

HANGING PENDENTS





HANGING PENDENTS



Full EchoPanel® 12mm (0.47") colour range - see page 39 COLOURS

PENDENT DESIGNS 5 styles

40

PANEL DIMENSIONS **12mm** (+/-7%) | 0.47" (+/-7%)

> 2400mm (+/-2mm) x 1200mm (+/-10mm) 94.49" (+/-0.08") x 47.24" (+/-0.39")


See EchoPanel® 12mm (0.47") on page 6 for details **SOUND ABSORPTION**

1 x cut EchoPanel® 12mm (0.47") **BOX COMPONENTS**


1 x 12mm hanging pendent component kit

PENDENT DESIGNS


12mm | 0.47"




TANDEM 12mm | 0.47"



SUMMIT 12mm | 0.47"



DOT 12mm | 0.47"



SPLAY 12mm | 0.47"

For additional specifications and performance details please visit wovenimage.com **HERE**

SPACE DIVIDING COLLECTION

PALING








454

442

542



EchoPanel® **PALING** in colour 442 with charcoal pivot joiners

PRODUCT TYPE Free-standing system

PANEL DIMENSIONS PALING A (end panel) & B (middle panel)


> 285mm (+/-2mm) x 1750mm (+/-2mm) 11.22" (+/-0.08") x 68.9" (+/-0.08")

PANEL THICKNESS **24mm** (+/-7%) | 0.94" (+/-7%)

PIVOT JOINER COLOURS Cream and charcoal - to be specified in order

See EchoPanel® 24mm (0.94") on page 6 for details **SOUND ABSORPTION**

PALING in colour 542 with cream pivot joiners, and wall in ION colour 908



PRODUCT TYPE Free-standing system

FULL PRODUCT 1750mm (+/-2mm) x 3500mm (+/-2mm)

DIMENSIONS 68.9" (+/-0.08") x 137.8" (+/-0.08")

PANEL THICKNESS 24mm (+/-7%) | 0.94" (+/-7%)

PIVOT JOINER COLOURS Cream and charcoal - to be specified in order

SOUND ABSORPTION See EchoPanel® 24mm (0.94") on page 6 for details

BOX COMPONENTS 6 x **PLATOON** panels 10 x pivot joiners



454



442



For additional specifications and performance details please visit wovenimage.com **HERE**

542

Mura is an innovative and versatile, 1.9mm (0.075") thick, surface finish that is highly cost effective, easy to install and boasts an on-trend colour palette. The face side has been designed to create a smooth clean look, whilst the back has been engineered with a forgiving texture that can be adhered to a variety of surfaces including walls, workstation screens and operable walls.

Made from 60% recycled PET with low VOCs, Mura has the same first-rate environmental certifications as EchoPanel[®].















MURA PALETTE



ROLL DIMENSIONS 6m, 25m or 105m roll | 236", 984" or 4134" roll

WIDTH 1210mm (+/-5mm) I 47.64" (+/-0.2")


THICKNESS 1.9mm (+/-0.25mm) | 0.07" (+/-0.01")

SOUND ABSORPTION AS ISO 354: 2006 (R2016) - direct fix results

 αw
 0.10 (H)

 NRC Value
 0.10

 SAA
 0.08



The embossed acoustic panel collection represents the latest innovation from Woven Image. Made using recycled plastic, this design-led collection embraces the trend towards tactile surfaces and three-dimensional textures, interweaving cuttingedge design with sustainability and commercial performance.

Available in four unique designs; Zen, Ion, Gem and Pico, which have been specially designed to provide a floor-to-ceiling acoustic solution for commercial office interiors and pattern matches for continuous wall and double-height installations.

The collection has won numerous international design awards including; The Designer Award for Innovation in Material Product Design, the Dezeen Award for Workplace Design, the FX Design Award for Best Surface, the Architizer Award for A+ Products and an INDE Award.

The uniqueness of the design was observed instantly by the Dezeen Awards judges who said that "in this instance, there was an attempt to define the space in sculptural terms and also give the product tactility". The Dezeen Awards received more than 4,300 entries, from 85 countries across 5 continents.







EMBOSSED PANEL COLLECTION

ZEN



2800mm (+/-3mm) x 1130mm (+/-3mm) | 110.24" (+/-0.12") x 44.49" (+/-0.12") PANEL DIMENSIONS

9mm (+/-7%) | 0.35" (+/-7%) PANEL THICKNESS

ZEN in colour 468

AS ISO 354: 2006 (R2016) - direct fix results **SOUND ABSORPTION**

0.20 (H) α_{W} NRC 0.30 0.28 SAA Class

EMBOSSED PANEL COLLECTION

ION



PANEL DIMENSIONS 2800mm (+/-3mm) x 1130mm (+/-3mm) | 110.24" (+/-0.12") x 44.49" (+/-0.12")

PANEL THICKNESS 9mm (+/-7%) | 0.35" (+/-7%)

SOUND ABSORPTION AS ISO 354: 2006 (R2016) - direct fix results

 αw
 0.20 (H)

 NRC
 0.30


 SAA
 0.28

 Class
 E



EMBOSSED PANEL COLLECTION

GEM



2800mm (+/-3mm) x 1130mm (+/-3mm) | 110.24" (+/-0.12") x 44.49" (+/-0.12") PANEL DIMENSIONS

PANEL THICKNESS **9mm** (+/-7%) | 0.35" (+/-7%)

GEM in colour 167

SOUND ABSORPTION AS ISO 354: 2006 (R2016) - direct fix results

> 0.20 (H) 0.30 NRC SAA 0.28 Class

PIC0



PANEL DIMENSIONS 2800mm (+/-3mm) x 1130mm (+/-3mm) | 110.24" (+/-0.12") x 44.49" (+/-0.12")

PANEL THICKNESS 9mm (+/-7%) | 0.35" (+/-7%)

SOUND ABSORPTION AS ISO 354: 2006 (R2016) - direct fix results

 αw
 0.20 (H)

 NRC
 0.30

 SAA
 0.28

 Class
 E



Whether your interiors project requires large scale coverage or to create smaller design features, this range provides an endless stream of design configurations that provide great aesthetics whilst controlling reverberated noise in;

- Collaborative workspaces and meeting rooms
- Classrooms and music rooms
- Cafés and restaurants
- Lobbies and public spaces

They are lightweight, easy to install, and pattern match without the need for trimming.

Tiles in this collection are made from EchoPanel® or Mura, which achieve first-rate environmental certifications.



ACOUSTIC TILE COLLECTION

BALANCE



101 442 384

PRODUCT NAME **BALANCE 670** BALANCE 1340

12mm (+/-7%) | 0.47" (+/-7%) TILE THICKNESS

SOUND ABSORPTION AS ISO 354: 2006 (R2016) - direct fix results

> 0.45 (MH) NRC 0.65 SAA 0.63 Class

BALANCE 670 - 12 x tiles **BOX COMPONENTS** BALANCE 1340 - 6 x tiles **BALANCE 1340** 1340mm (52.76")

BALANCE 670

670mm (26.38")



ACOUSTIC TILE COLLECTION

ASCENT



TILE DIMENSIONS 500mm (+/-5mm) x 900mm (+/-5mm) x 50mm

(+/-5mm)

19.68" (+/-0.2") x 35.43" (+/-0.2") x 1.97" (+/-0.2")


measured 10mm (0.39") above trimmed edge

4mm (+/-0.5mm) | 0.16" (+/-0.02") TILE THICKNESS

SOUND ABSORPTION AS ISO 354: 2006 (R2016) - direct fix results


> α_{W} 0.60 (MH) NRC 0.70 SAA 0.66 С Class

BOX COMPONENTS 6 x tiles, 16 x installation clips





DUNE



TILE DIMENSIONS 500mm (+/-5mm) x 500mm (+/-5mm) x 50mm (+/-5mm) 19.69" (+/-0.2") x 19.69" (+/-0.2") x 1.97" (+/-0.2")


4mm (+/-0.5mm) | 0.16" (+/-0.02") - measured 0.39" (10mm) above trimmed edge TILE THICKNESS


AS ISO 354: 2006 (R2016) - direct fix results **SOUND ABSORPTION**

 α_{W} 0.50 (MH) NRC 0.60 0.58 SAA Class D


BOX COMPONENTS

9 x tiles, 16 x installation clips










ACOUSTIC TILE COLLECTION

WAVE



TILE DIMENSIONS

500mm (+/-5mm) x 500mm (+/-5mm) x 62.5mm (+/-5mm) 19.69" (+/-0.2") x 19.69" (+/-0.2") x 2.46" (+/-0.2")

TILE THICKNESS

4mm (+/-0.5mm) | 0.16" (+/-0.02") - measured 0.39" (10mm) above trimmed edge

SOUND ABSORPTION


AS ISO 354: 2006 (R2016) - direct fix results 0.50 (MH)

 α_{W} NRC 0.60 SAA 0.58 Class

BOX COMPONENTS


WAVE tiles in colour 487

9 x tiles, 16 x installation clips





FOCUS CHAIN





ACOUSTIC FABRIC

FOCUS WAVE





137cm | 53.94" **WIDTH**

PATTERN REPEAT **FOCUS CHAIN** Horizontal 19cm (7.48"), Vertical 19.5cm (7.68")

Horizontal 2.5cm (0.98"), Vertical 11cm (4.33") **FOCUS WAVE**

AS ISO 354: 2006 (R2016) - direct fix results **SOUND ABSORPTION**

0.20 (H) 0.30 NRC Value 0.29 SAA

For additional specifications and performance details please visit wovenimage.com **HERE**

ACOUSTIC COLLECTION


PRINT DESIGNS


Shown here are a small selection of our printed EchoPanel® designs. These can be printed single or doublesided, making them suitable for walls, ceilings and partitions.

Woven Image has a long history of working with global design and manufacturing clients to deliver unique customised prints. Contact us to discuss your project requirements.











Woven Image

- enquiries@wovenimage.com

wovenimage.com