

ACOUSTIC COLLECTION



ACOUSTIC COLLECTION

WOVEN IMAGE STORY	02
ECHOPANEL® COLLECTION.....	04
CEILING COLLECTION.....	34
SPACE DIVIDING COLLECTION.....	44
MURA COLLECTION	52
ECHOFLEX COLLECTION	56
EMBOSSSED PANEL COLLECTION.....	60
3D FORMED PANEL COLLECTION	74
ACOUSTIC TILE COLLECTION	80
ACOUSTIC FABRIC	90
PRINT DESIGNS	92



Cover image: EchoPanel® **ORB** in colour 495 & on arch,
EchoPanel® **12mm** in colour 454
This image: **BALANCE 1340** tile in colour 365

Disclaimer Due different screen configurations, images may not represent the true colour. Always confirm your colour choice with your Woven Image Representative.

We recommend requesting a sample prior to ordering.

ACoustic COLLECTION

WOVEN IMAGE STORY

Established in 1987, Woven Image is an international interior finishes company with sustainability and design leadership at its core.

From humble beginnings in Sydney, Woven Image now has offices throughout Australia as well as Singapore, Hong Kong and China, and a network of distributors and stockists across all major markets including Europe and the UK, Asia and the Middle East, and The Americas.

The product portfolio consists of acoustic finishes such as EchoPanel®, suitable for wall, ceiling and space dividing applications in interior spaces including workplace, hospitality, education and healthcare sectors.

OUR ENVIRONMENTAL STORY


The Woven Image portfolio has been designed with dematerialisation, upcycling and lifecycle management front of mind. All base materials in this collection utilise recycled or waste materials and printed designs use non-toxic inks with low VOCs.

Woven Image achieves first-class environmental certifications for its key products, including Carbon Neutral Certification by Climate Active, Global GreenTag™ certification (GreenRate Level A), with the maximum Product Health Declaration™ Platinum Health and an Environmental Product Declaration (EPD). As a result, specifying these products can secure credits under sustainable building tools including Leadership in Energy and Environmental Design (LEED v4.1), WELL™ Building Standard and Green Star. Woven Image is also a long-term supporter of Greenfleet and offsets its carbon emissions through their bio-diverse program.


MANUFACTURING PROCESS OF ECHOPANEL® & MURA




Bottles made from PET identified by ♻️ are collected from consumers.




Contaminants like lids and sticky labels are removed. Bottles are chipped into tiny pellets.




Pellets are washed and sanitised.




Pellets and colour are fed into a hopper. A heater at the base of the hopper melts the pellets to form a free-flowing resin.




Web is compressed to make board ready for use.



Fibres are drawn and cut, then blended into a web.



Cold air fans 'set' the fine fibres extruded from the Spinneret.



Resin is pumped through a sophisticated shower-rose device, known as a Spinneret.

ECHOPANEL® COLLECTION

ECHOPANEL® PALETTE.....	06
PRECISION CUT DESIGNS.....	08
ECHOPANEL® ORB.....	10
ECHOPANEL® MOSAIC	12
ECHOPANEL® CURRENT.....	14
ECHOPANEL® ISLE	16
ECHOPANEL® PARQUET	18
ECHOPANEL® LONGITUDE.....	20
ECHOPANEL® PALACE	22
ECHOPANEL® OHM	24
ECHOPANEL® EMPIRE	26
ECHOPANEL® MERIDIAN	28
ECHOPANEL® LATITUDE	30
ECHOPANEL® ALIGN.....	32

Invented and launched by Woven Image in 2004, EchoPanel® is the original decorative interior panelling solution, with acoustic qualities and eco-innovation at its core. EchoPanel® production uses post-consumer recycled PET to create a superior upcycled product. Since 2022, Woven Image have also committed to offset the embodied carbon of EchoPanel® acoustic panels to zero. Since 2023, the EchoPanel® collection has achieved carbon neutrality, as certified by Climate Active.

EchoPanel® is available in a comprehensive range of neutral, mid-tone and vibrant colours. Due to its unique manufacturing process, the colour remains consistent throughout the depth of the panel.

EchoPanel® is pinnable, durable, lightweight and easy to cut and install, making it ideal for a multitude of wall, ceiling and free-standing commercial interior applications. Available in 12mm (0.47") and 24mm (0.94") thicknesses.



EchoPanel® 12mm in colour 660

ECHOPANEL® PALETTE



PANEL DIMENSIONS	2800mm (+/-10mm) x 1200mm (+/-5mm) 110.24" (+/-0.39") x 47.24" (+/-0.2")		
PANEL THICKNESS	12mm	(+/-7%) 0.47" (+/-7%)	
	24mm	(+/-7%) 0.94" (+/-7%)	
SOUND ABSORPTION	AS ISO 354: 2006 (R2016) - direct fix results		
	12mm (0.47")	αw	0.30 (MH)
		NRC	0.45
		SAA	0.43
		Class	D
	24mm (0.94")	αw	0.45 (MH)
		NRC	0.65
		SAA	0.63
Class		D	

QUICK REFERENCE GUIDE

PANEL DIMENSIONS	12mm x 2800mm x 1200mm 0.47" x 110.24" x 47.24"		
	24mm x 2800mm x 1200mm 0.94" x 110.24" x 47.24"		
12mm (0.47")	101 106 124 167 193 269 274 289 295 330 338 349 365 378 381 384 402 442 444 447 454 468 481 484 487 495 500 542 550 551 573 579 580 633 660 721 908		
24mm (0.94")			

500 Off White	101 Frost	442 Grey		
908 Cream	454 Mushroom	468 Vanilla	402 Pebble	481 Latte
550 Onyx	542 Charcoal	447 Slate	444 Smoke	274 Orchid
269 Wine	193 Rouge	484 Cayenne	487 Blush	495 Dusk
167 Cinnamon	295 Mandarin	721 Nutmeg	124 Ochre	106 Butter
378 Seaweed	349 Vineyard	384 Olive	579 Pistachio	580 Sage
330 Ivy	338 Jade	573 Mint	381 Lime Splice	
289 Laguna	365 Navy	660 Coronet	633 Pacific	551 Duck Egg

For additional specifications and performance details please visit wovenimage.com **HERE**

ECHOPANEL® COLLECTION

PRECISION CUT DESIGNS





PRECISION CUT DESIGNS

ECHOPANEL® ORB



EchoPanel® ORB in colour 495

COLOURS	Full EchoPanel® colour range - see page 7
PANEL DIMENSIONS	2750mm (+/-2mm) x 1100mm (+/-2mm) 108.27" (+/-0.08") x 43.31" (+/-0.08")
PANEL THICKNESS	12mm (+/-7%) 0.47" (+/-7%) 24mm (+/-7%) 0.94" (+/-7%)

SOUND ABSORPTION			AS ISO 354: 2006 (R2016) - direct fix results
12mm (0.47")	αw		0.30 (MH)
	NRC		0.45
	SAA		0.43
	Class		D
24mm (0.94")	αw		0.45 (MH)
	NRC		0.65
	SAA		0.63
	Class		D

For additional specifications and performance details please visit wovenimage.com **HERE**

PRECISION CUT DESIGNS

ECHOPANEL® MOSAIC



EchoPanel® MOSAIC in colours 573 & 721

COLOURS	Full EchoPanel® colour range - see page 7
PANEL DIMENSIONS	2750mm (+/-2mm) x 1100mm (+/-2mm) 108.27" (+/-0.08") x 43.31" (+/-0.08")
PANEL THICKNESS	12mm (+/-7%) 0.47" (+/-7%) 24mm (+/-7%) 0.94" (+/-7%)

For additional specifications and performance details please visit wovenimage.com **HERE**

SOUND ABSORPTION	AS ISO 354: 2006 (R2016) - direct fix results		
12mm (0.47")	α _w	0.30 (MH)	
	NRC	0.45	
	SAA	0.43	
	Class	D	
24mm (0.94")	α _w	0.45 (MH)	
	NRC	0.65	
	SAA	0.63	
	Class	D	

PRECISION CUT DESIGNS

ECHOPANEL® CURRENT



EchoPanel® CURRENT in colour 454

COLOURS	Full EchoPanel® colour range - see page 7
PANEL DIMENSIONS	2750mm (+/-2mm) x 1100mm (+/-2mm) 108.27" (+/-0.08") x 43.31" (+/-0.08")
PANEL THICKNESS	12mm (+/-7%) 0.47" (+/-7%) 24mm (+/-7%) 0.94" (+/-7%)

SOUND ABSORPTION	AS ISO 354: 2006 (R2016) - direct fix results		
12mm (0.47")	αw	0.30 (MH)	
	NRC	0.45	
	SAA	0.43	
	Class	D	
24mm (0.94")	αw	0.45 (MH)	
	NRC	0.65	
	SAA	0.63	
	Class	D	

For additional specifications and performance details please visit wovenimage.com **HERE**

PRECISION CUT DESIGNS

ECHOPANEL® ISLE



EchoPanel® ISLE in colour 106

COLOURS	Full EchoPanel® colour range - see page 7
PANEL DIMENSIONS	2750mm (+/-2mm) x 1100mm (+/-2mm) 108.27" (+/-0.08") x 43.31" (+/-0.08")
PANEL THICKNESS	12mm (+/-7%) 0.47" (+/-7%) 24mm (+/-7%) 0.94" (+/-7%)

SOUND ABSORPTION	AS ISO 354: 2006 (R2016) - direct fix results		
12mm (0.47")	α _w	0.30 (MH)	
	NRC	0.45	
	SAA	0.43	
	Class	D	
24mm (0.94")	α _w	0.45 (MH)	
	NRC	0.65	
	SAA	0.63	
	Class	D	

For additional specifications and performance details please visit wovenimage.com **HERE**

PRECISION CUT DESIGNS

ECHOPANEL® PARQUET



EchoPanel® PARQUET in colour 495

COLOURS	Full EchoPanel® colour range - see page 7
PANEL DIMENSIONS	2750mm (+/-2mm) x 1100mm (+/-2mm) 108.27" (+/-0.08") x 43.31" (+/-0.08")
PANEL THICKNESS	12mm (+/-7%) 0.47" (+/-7%) 24mm (+/-7%) 0.94" (+/-7%)

SOUND ABSORPTION		AS ISO 354: 2006 (R2016) - direct fix results
12mm (0.47")	αw	0.30 (MH)
	NRC	0.45
	SAA	0.43
	Class	D
24mm (0.94")	αw	0.45 (MH)
	NRC	0.65
	SAA	0.63
	Class	D

For additional specifications and performance details please visit wovenimage.com **HERE**



PRECISION CUT DESIGNS

ECHOPANEL® LONGITUDE



EchoPanel® LONGITUDE in colour 447

COLOURS	Full EchoPanel® colour range - see page 7
PANEL DIMENSIONS	2750mm (+/-2mm) x 1100mm (+/-2mm) 108.27" (+/-0.08") x 43.31" (+/-0.08")
PANEL THICKNESS	12mm (+/-7%) 0.47" (+/-7%) 24mm (+/-7%) 0.94" (+/-7%)

SOUND ABSORPTION			AS ISO 354: 2006 (R2016) - direct fix results
12mm (0.47")	α _w		0.30 (MH)
	NRC		0.45
	SAA		0.43
	Class		D
24mm (0.94")	α _w		0.45 (MH)
	NRC		0.65
	SAA		0.63
	Class		D

For additional specifications and performance details please visit wovenimage.com **HERE**

PRECISION CUT DESIGNS

ECHOPANEL® PALACE

EchoPanel® PALACE in colour 349


COLOURS	Full EchoPanel® colour range - see page 7
PANEL DIMENSIONS	2750mm (+/-2mm) x 1100mm (+/-2mm) 108.27" (+/-0.08") x 43.31" (+/-0.08")
PANEL THICKNESS	12mm (+/-7%) 0.47" (+/-7%) 24mm (+/-7%) 0.94" (+/-7%)

SOUND ABSORPTION	AS ISO 354: 2006 (R2016) - direct fix results		
12mm (0.47")	αw	0.30 (MH)	
	NRC	0.45	
	SAA	0.43	
	Class	D	
24mm (0.94")	αw	0.45 (MH)	
	NRC	0.65	
	SAA	0.63	
	Class	D	

For additional specifications and performance details please visit [wovenimage.com](#) **HERE**

PRECISION CUT DESIGNS

ECHOPANEL® OHM



EchoPanel® OHM in colour 454

COLOURS	Full EchoPanel® colour range - see page 7
PANEL DIMENSIONS	2750mm (+/-2mm) x 1100mm (+/-2mm) 108.27" (+/-0.08") x 43.31" (+/-0.08")
PANEL THICKNESS	12mm (+/-7%) 0.47" (+/-7%) 24mm (+/-7%) 0.94" (+/-7%)

SOUND ABSORPTION		AS ISO 354: 2006 (R2016) - direct fix results
12mm (0.47")	α _w	0.30 (MH)
	NRC	0.45
	SAA	0.43
	Class	D
24mm (0.94")	α _w	0.45 (MH)
	NRC	0.65
	SAA	0.63
	Class	D

For additional specifications and performance details please visit wovenimage.com **HERE**

PRECISION CUT DESIGNS

ECHOPANEL® EMPIRE



EchoPanel® EMPIRE in colour 365

COLOURS	Full EchoPanel® colour range - see page 7
PANEL DIMENSIONS	2750mm (+/-2mm) x 1100mm (+/-2mm) 108.27" (+/-0.08") x 43.31" (+/-0.08")
PANEL THICKNESS	12mm (+/-7%) 0.47" (+/-7%) 24mm (+/-7%) 0.94" (+/-7%)

SOUND ABSORPTION	AS ISO 354: 2006 (R2016) - direct fix results		
12mm (0.47")	α _w	0.30 (MH)	
	NRC	0.45	
	SAA	0.43	
	Class	D	
24mm (0.94")	α _w	0.45 (MH)	
	NRC	0.65	
	SAA	0.63	
	Class	D	

For additional specifications and performance details please visit wovenimage.com **HERE**

PRECISION CUT DESIGNS

ECHOPANEL® MERIDIAN



EchoPanel® MERIDIAN in colours 580 & 454

COLOURS	Full EchoPanel® colour range - see page 7
PANEL DIMENSIONS	2750mm (+/-2mm) x 1100mm (+/-2mm) 108.27" (+/-0.08") x 43.31" (+/-0.08")
PANEL THICKNESS	12mm (+/-7%) 0.47" (+/-7%) 24mm (+/-7%) 0.94" (+/-7%)

For additional specifications and performance details please visit [wovenimage.com](#) **HERE**

SOUND ABSORPTION	AS ISO 354: 2006 (R2016) - direct fix results		
	12mm (0.47")	αw	0.30 (MH)
		NRC	0.45
		SAA	0.43
		Class	D
	24mm (0.94")	αw	0.45 (MH)
		NRC	0.65
		SAA	0.63
		Class	D

PRECISION CUT DESIGNS

ECHOPANEL® LATITUDE



EchoPanel® LATITUDE in colour 384

COLOURS	Full EchoPanel® colour range - see page 7
PANEL DIMENSIONS	2750mm (+/-2mm) x 1100mm (+/-2mm) 108.27" (+/-0.08") x 43.31" (+/-0.08")
PANEL THICKNESS	12mm (+/-7%) 0.47" (+/-7%) 24mm (+/-7%) 0.94" (+/-7%)

For additional specifications and performance details please visit wovenimage.com **HERE**

SOUND ABSORPTION	AS ISO 354: 2006 (R2016) - direct fix results		
	12mm (0.47")	αw NRC SAA Class	0.30 (MH) 0.45 0.43 D
	24mm (0.94")	αw NRC SAA Class	0.45 (MH) 0.65 0.63 D

PRECISION CUT DESIGNS

ECHOPANEL® ALIGN



EchoPanel® ALIGN in colour 349

COLOURS	Full EchoPanel® colour range - see page 7
PANEL DIMENSIONS	2750mm (+/-2mm) x 1180mm (+/-2mm) 108.27" (+/-0.08") x 46.46" (+/-0.08")
PANEL THICKNESS	12mm (+/-7%) 0.47" (+/-7%) 24mm (+/-7%) 0.94" (+/-7%)

For additional specifications and performance details please visit [wovenimage.com](#) **HERE**

SOUND ABSORPTION	AS ISO 354: 2006 (R2016) - direct fix results		
12mm (0.47")	α _w	0,30 (MH)	
	NRC	0,45	
	SAA	0,43	
	Class	D	
24mm (0.94")	α _w	0,45 (MH)	
	NRC	0,65	
	SAA	0,63	
	Class	D	

CEILING COLLECTION

ECHOPANEL® ARRAY 36

FUJI 40

Woven Image offer design-driven and high-performance acoustic ceiling solutions, to control reverberated noise in commercial interior spaces.

EchoPanel® Array is an acoustic ceiling baffle solution utilising 24mm (0.94”) EchoPanel®, with streamlined hardware engineered for easy installation, and scalable for both small and large applications. Choose from beautifully crafted baffles in the extensive EchoPanel® colour palette, or work with us to create your own unique designs.

Fuji is a range of decorative 3D formed ceiling tiles, offering superb acoustic absorption. Fuji tiles can be installed with or without the Array ceiling hardware, with options to direct-fix or suspend from the ceiling and integrate a variety of lighting options.

Woven Image's inhouse Commercial Service team provide industry expertise, advice and CAD technical plans and drawings, to ensure ceiling projects are delivered to the highest standards.

EchoPanel® and Fuji achieve:





CEILING COLLECTION

ECHOPANEL® ARRAY

EchoPanel® Array baffle and ceiling hardware dimensions will vary depending on project requirements. Exact quantities, measurements and drawings will be provided upon project specification.

Standard baffle designs are 2780mm in length and vary in depth, please see below:

BEAM



2780mm length x 200mm depth (+/-5mm)




2780mm length x 300mm depth (+/-5mm)

WEDGE



2780mm length x 200mm depth (+/-5mm)



2780mm length x 300mm depth (+/-5mm)

TAPER



2780mm length x 300mm depth (+/-5mm)

CATHEDRAL



2780mm length x 300mm depth (+/-5mm)

TURRET




2780mm length x 300mm depth (+/-5mm)

VALLEY




2780mm length x 300mm depth (+/-5mm)

VIADUCT




2780mm length x 300mm depth (+/-5mm)

WAVE



2780mm length x 267mm depth (+/-5mm)

FLOW



2780mm length x 300mm depth (+/-5mm)

For additional specifications and performance details please visit wovenimage.com **HERE**

CEILING COLLECTION

ECHOPANEL® ARRAY



ECHOPANEL® 24mm in colours 384, 468 & 580 & ECHOPANEL® 12mm in colours 167, 269 & 468
Project: University of Adelaide | Designer: Architectus | Photography: Aaron Citti

COLOURS	Full EchoPanel® colour range - see page 7
DIMENSIONS	For standard baffle styles & dimensions - see page 37
SOUND ABSORPTION	24mm (+/-7%) 0.94" (+/-7%) - direct fix results AS ISO 354: 2006 (R2016) AS ISO 11654: 2002 (2016) ASTM C423 - 17 α_w 0.75 (MH) NRC 0.85 SAA 0.83 Class C

For additional specifications and performance details please visit wovenimage.com **HERE**



CEILING COLLECTION

FUJI



908 Cream



550 Onyx



299 Duck Egg/Cream



420 Cream/Onyx



ARRAY RAILS in colours black & white



BARREL KITS in colours onyx, off-white & onyx/gold

COLOURS

Stocked in 4 standard colours – full Mura colour range available on request, see page 54. Barrel kits allow Fuji tiles to be directly fixed to the ceiling or to the Array ceiling rail.

DIMENSIONS

FUJI JUNI	560mm (+/-3mm) x 1160mm (+/-3mm) x 90mm (+/-3mm)	
	22.05" (+/-0.12") x 45.67" (+/-0.12") x 3.54" (+/-0.12")	
FUJI HACHI	1740mm (+/-3mm) x 840mm (+/-3mm) x 132mm (+/-3mm)	
	68.5" (+/-0.12") x 33.07" (+/-0.12") x 5.2" (+/-0.12")	

THICKNESS

4.6mm (+/-2mm) | 0.18" (+/-0.08")

SOUND ABSORPTION

AS ISO 11654: 2002 (2016) | AS ISO 354: 2006 (R2016) | ASTM C423 - 17, with perimeter

FUJI JUNI	αw	0.80
	NRC	0.80
	SAA	0.76
FUJI HACHI	αw	0.85
	NRC	0.80
	SAA	0.76

For additional specifications and performance details please visit wovenimage.com **HERE**



CEILING COLLECTION

FUJI

FUJI KU in colour 550 | Project: JQZ Office | Design & Installation: Sheldon Interiors | Photographer: Simon Whitbread

COLOURS	Stocked in 4 standard colours – full Mura colour range available on request, see page 58. Barrel kits allow Fuji tiles to be directly fixed to the ceiling or to the Array ceiling rail.		
DIMENSIONS	FUJI ROKU	560mm (+/-3mm) x 560mm (+/-3mm) x 90mm (+/-3mm) 22.05" (+/-0.12") x 22.05" (+/-0.12") x 3.54" (+/-0.12")	
	FUJI KU	840mm (+/-3mm) x 840mm (+/-3mm) x 132mm (+/-3mm) 33.07" (+/-0.12") x 33.07" (+/-0.12") x 5.2" (+/-0.12")	
THICKNESS	4.6mm (+/-2mm) 0.18" (+/-0.08")		

SOUND ABSORPTION		AS ISO 11654: 2002 (2016) AS ISO 354: 2006 (R2016) ASTM C423 - 17, with perimeter							
		FUJI ROKU	<table><tr><td>α_w</td><td>0.75</td></tr><tr><td>NRC</td><td>0.70</td></tr><tr><td>SAA</td><td>0.72</td></tr></table>	α _w	0.75	NRC	0.70	SAA	0.72
α _w	0.75								
NRC	0.70								
SAA	0.72								
		FUJI KU	<table><tr><td>α_w</td><td>0.80</td></tr><tr><td>NRC</td><td>0.75</td></tr><tr><td>SAA</td><td>0.74</td></tr></table>	α _w	0.80	NRC	0.75	SAA	0.74
α _w	0.80								
NRC	0.75								
SAA	0.74								

For additional specifications and performance details please visit wovenimage.com **HERE**

SPACE DIVIDING COLLECTION

HANGING PENDENTS..... 46

PALING..... 48

PLATOON..... 50


Our range of EchoPanel® space dividing systems includes hanging pendants and free-standing room dividers.

These products allow open plan spaces, typical of modern workplace and hospitality environments, to be partitioned with ease and flexibility whilst reducing reverberated noise to improve both comfort and productivity.


SPACE DIVIDING COLLECTION

HANGING PENDENTS


12mm | 0.47"




TANDEM 12mm | 0.47"




SUMMIT 12mm | 0.47"



DOT 12mm | 0.47"



SPLAY 12mm | 0.47"



COLOURS

Full EchoPanel® 12mm (0.47") colour range - see page 7

PENDENT DESIGNS

5 styles

PANEL DIMENSIONS

12mm (+/-7%) | 0.47" (+/-7%)
2400mm (+/-2mm) x 1200mm (+/-10mm)
94.49" (+/-0.08") x 47.24" (+/-0.39")


SOUND ABSORPTION

See EchoPanel® 12mm (0.47") on page 6 for details

BOX COMPONENTS


1 x cut EchoPanel® 12mm (0.47")
1 x 12mm hanging pendent component kit

For additional specifications and performance details please visit wovenimage.com **HERE**



SPACE DIVIDING COLLECTION

PALING




454 Mushroom



442 Grey



542 Charcoal



EchoPanel® **PALING** in colour 442 with charcoal pivot joiners

PRODUCT TYPE	Free-standing system
PANEL DIMENSIONS	PALING A (end panel) & B (middle panel) 285mm (+/-2mm) x 1750mm (+/-2mm) 11.22" (+/-0.08") x 68.9" (+/-0.08")
PANEL THICKNESS	24mm (+/-7%) 0.94" (+/-7%)
PIVOT JOINER COLOURS	Cream and charcoal - to be specified in order
SOUND ABSORPTION	See EchoPanel® 24mm (0.94") on page 6 for details

For additional specifications and performance details please visit wovenimage.com **HERE**


SPACE DIVIDING COLLECTION

PLATOON



PLATOON in colours 442 & 542 with charcoal pivot joiners


PRODUCT TYPE	Free-standing system
FULL PRODUCT DIMENSIONS	1750mm (+/-2mm) x 3500mm (+/-2mm) 68.9" (+/-0.08") x 137.8" (+/-0.08")
PANEL THICKNESS	24mm (+/-7%) 0.94" (+/-7%)
PIVOT JOINER COLOURS	Cream and charcoal - to be specified in order
SOUND ABSORPTION	See EchoPanel® 24mm (0.94") on page 6 for details
BOX COMPONENTS	6 x PLATOON panels 10 x pivot joiners



454 Mushroom



442 Grey



542 Charcoal

For additional specifications and performance details please visit wovenimage.com **HERE**

MURA COLLECTION

MURA PALETTE 54

Mura is an innovative and versatile, 1.9mm (0.075") thick, surface finish that is highly cost effective, easy to install and boasts an on-trend colour palette. The face side has been designed to create a smooth clean look, whilst the back has been engineered with a forgiving texture that can be adhered to a variety of surfaces including walls, workstation screens and operable walls.












Made from 60% recycled PET with low VOCs, Mura has the same first-rate environmental certifications as EchoPanel®.



Desk screen in **MURA** colour 551
with wall in **MURA** colour 454

MURA COLLECTION

MURA PALETTE

				
501 Chalk	101 Frost	908 Cream	454 Mushroom	468 Vanilla
				
447 Slate	442 Grey	444 Smoke	402 Pebble	481 Latte
				
550 Onyx	542 Charcoal	274 Orchid	487 Blush	495 Dusk
				
269 Wine	484 Cayenne	167 Cinnamon	721 Nutmeg	124 Ochre
				
330 Ivy	349 Vineyard	384 Olive	580 Sage	106 Butter
				
365 Navy	660 Coronet	551 Duck Egg	573 Mint	

ROLL DIMENSIONS	6m, 25m or 105m roll 236", 984" or 4134" roll
ROLL WIDTH	1210mm (+/-5mm) 47.64" (+/-0.2")
THICKNESS	1.9mm (+/-0.25mm) 0.07" (+/-0.01")
SOUND ABSORPTION	AS ISO 354: 2006 (R2016) - direct fix results
	αw 0.10 (H)
	NRC Value 0.10
	SAA 0.08



For additional specifications and performance details please visit wovenimage.com **HERE**

EchoFlex is a durable, velcro receptive acoustic wallcovering with a soft fibre-finish, ideal for educational and aged care interior applications.

Able to be cut and installed to curved surfaces, unique applications can be easily achieved. With an extensive colour palette that co-ordinates with the popular EchoPanel® acoustic panel range, EchoFlex is easily integrated into commercial interior design.




ECHOFLEX COLLECTION

ECHOFLEX.....58


ECHOFLEX in colours 384 & 580
with EchoPanel® 12mm 454 on arch

ECHO FLEX COLLECTION


ECHO FLEX



101 Frost



908 Cream




454 Mushroom




402 Pebble



580 Sage



542 Charcoal



447 Slate




442 Grey




269 Wine




495 Dusk



484 Cayenne



167 Cinnamon



721 Nutmeg



124 Ochre



106 Butter



349 Vineyard



384 Olive



365 Navy



551 Duck Egg



573 Mint

ROLL DIMENSIONS

25m (+/-25mm) | 984" (+/-0.98")

ROLL WIDTH

1220mm (+/-2mm) | 48" (+/-0.08")

THICKNESS

10-12mm (+/-2mm) | 0.39"-0.47" (+/-0.01")

SOUND ABSORPTION

AS ISO 354: 2006 (R2016) | AS ISO 11654: 2002 (2016)

ASTM C423 - 17 - direct fix results

 α_w 0.35 (H)

NRC 0.40

SAA 0.41

Class 1 or A

For additional specifications and performance details please visit wovenimage.com **HERE**

ECHO FLEX in colour 124

The embossed acoustic panel collection from Woven Image is made using recycled PET. This design-led range embraces the trend towards tactile surfaces and three-dimensional textures, interweaving cutting-edge design with sustainability and commercial performance.

Available in six unique designs; Zen, Ion, Gem, Pico, Umi and Nalu which have been specially designed to provide a floor-to-ceiling acoustic solution for commercial office interiors and pattern matches for continuous wall and double-height installations.

The collection has won numerous international design awards including; The Designer Award for Innovation in Material Product Design, the Dezeen Award for Workplace Design, the FX Design Award for Best Surface, the Architizer Award for A+ Products and an INDE Award.

The uniqueness of the design was observed instantly by the Dezeen Awards judges who said that “in this instance, there was an attempt to define the space in sculptural terms and also give the product tactility”. The Dezeen Awards received more than 4,300 entries, from 85 countries across 5 continents.



EMBOSSSED PANEL COLLECTION


PICO	62
ZEN	64
ION	66
GEM	68
UMI	70
NALU	72






EMBOSSED PANEL COLLECTION

PICO



501 Chalk




101 Frost




908 Cream



454 Mushroom



468 Vanilla



550 Onyx




447 Slate




402 Pebble




580 Sage



274 Orchid




269 Wine



484 Cayenne




167 Cinnamon



487 Blush



495 Dusk



330 Ivy



349 Vineyard




384 Olive



721 Nutmeg



124 Ochre



365 Navy



660 Coronet



551 Duck Egg



573 Mint



106 Butter







PANEL DIMENSIONS	2800mm (+/-3mm) x 1130mm (+/-3mm) 110.24" (+/-0.12") x 44.49" (+/-0.12")	
PANEL THICKNESS	9mm (+/-7%) 0.35" (+/-7%)	
SOUND ABSORPTION	AS ISO 354: 2006 (R2016) - direct fix results	
	α _w	0.20 (H)
	NRC	0.30
	SAA	0.28
	Class	E

For additional specifications and performance details please visit wovenimage.com **HERE**



EMBOSSSED PANEL COLLECTION

ZEN

				
501 Chalk	101 Frost	908 Cream	454 Mushroom	468 Vanilla
				
550 Onyx	447 Slate	402 Pebble	580 Sage	274 Orchid
				
269 Wine	484 Cayenne	167 Cinnamon	487 Blush	495 Dusk
				
330 Ivy	349 Vineyard	384 Olive	721 Nutmeg	124 Ochre
				
365 Navy	660 Coronet	551 Duck Egg	573 Mint	106 Butter

PANEL DIMENSIONS	2800mm (+/-3mm) x 1130mm (+/-3mm) 110.24" (+/-0.12") x 44.49" (+/-0.12")
PANEL THICKNESS	9mm (+/-7%) 0.35" (+/-7%)
SOUND ABSORPTION	AS ISO 354: 2006 (R2016) - direct fix results
	αw 0.20 (H)
	NRC 0.30
	SAA 0.28
	Class E

For additional specifications and performance details please visit wovenimage.com **HERE**

ION



101 Frost



908 Cream



468 Vanilla




402 Pebble



580 Sage



550 Onyx



447 Slate



274 Orchid



487 Blush



495 Dusk



484 Cayenne



167 Cinnamon



721 Nutmeg



124 Ochre



106 Butter



384 Olive



349 Vineyard



660 Coronet



551 Duck Egg



573 Mint

PANEL DIMENSIONS	2800mm (+/-3mm) x 1130mm (+/-3mm) 110.24" (+/-0.12") x 44.49" (+/-0.12")
PANEL THICKNESS	9mm (+/-7%) 0.35" (+/-7%)
SOUND ABSORPTION	AS ISO 354: 2006 (R2016) - direct fix results
	α_w 0.20 (H)
	NRC 0.30
	SAA 0.28
	Class E

For additional specifications and performance details please visit wovenimage.com **HERE**




ION in colour 573



EMBOSSSED PANEL COLLECTION

G E M



101 Frost



908 Cream




468 Vanilla




402 Pebble



580 Sage



550 Onyx



447 Slate



274 Orchid



487 Blush



495 Dusk



484 Cayenne



167



721 Nutmeg




124 Ochre



106 Butter



384 Olive



349 Vineyard



660 Coronet



551 Duck Egg










573 Mint

PANEL DIMENSIONS	2800mm (+/-3mm) x 1130mm (+/-3mm) 110.24" (+/-0.12") x 44.49" (+/-0.12")
PANEL THICKNESS	9mm (+/-7%) 0.35" (+/-7%)
SOUND ABSORPTION	AS ISO 354: 2006 (R2016) - direct fix results
	α_w 0.20 (H)
	NRC 0.30
	SAA 0.28
	Class E

For additional specifications and performance details please visit wovenimage.com **HERE**

EMBOSSED PANEL COLLECTION

U M I

				
501 Chalk	101 Frost	908 Cream	454 Mushroom	468 Vanilla
				
550 Onyx	447 Slate	402 Pebble	580 Sage	274 Orchid
				
269 Wine	484 Cayenne	167 Cinnamon	487 Blush	495 Dusk
				
330 Ivy	349 Vineyard	384 Olive	721 Nutmeg	124 Ochre
				
365 Navy	660 Coronet	551 Duck Egg	573 Mint	106 Butter

PANEL DIMENSIONS	2800mm (+/-3mm) x 1130mm (+/-3mm) 110.24" (+/-0.12") x 44.49" (+/-0.12")
PANEL THICKNESS	9mm (+/-7%) 0.35" (+/-7%)
SOUND ABSORPTION	AS ISO 354: 2006 (R2016) - direct fix results
	αw 0.20 (H)
	NRC 0.30
	SAA 0.28
	Class E


For additional specifications and performance details please visit wovenimage.com **HERE**






EMBOSSSED PANEL COLLECTION


NALU



101 Frost



501 Chalk




454 Mushroom




908 Cream



468 Vanilla



447 Slate



402 Pebble



580 Sage



481 Latte



495 Dusk



484 Cayenne



167 Cinnamon



721 Nutmeg



124 Ochre



349 Vineyard



330 Ivy



365 Navy



660 Coronet



551 Duck Egg

PANEL DIMENSIONS

2800mm (+/-3mm) x 1130mm (+/-3mm) | 110.24" (+/-0.12") x 44.49" (+/-0.12")

PANEL THICKNESS

9mm (+/-7%) | 0.35" (+/-7%)

SOUND ABSORPTION

AS ISO 354: 2006 (R2016) - direct fix results

αw 0.20 (H)
NRC 0.30
SAA 0.28
Class E

For additional specifications and performance details please visit wovenimage.com **HERE**

Commercial interiors are elevated to new levels of comfort, class and sophistication with Column and Curtain — 2.8m high, floor-to-ceiling 3D formed acoustic panels containing over 50% post-consumer recycled PET. Designed for seamless installation without a floor-to-ceiling join, panel joins and edge trims are also available to suit individual project requirements.

Column draws inspiration from classical architecture, with its undulating, symmetrical rhythm and a depth of approximately 70mm. The wave-like peaks and troughs, combined with non-woven raw materials, capture airgaps in a direct-fix wall application to create a distinct sound absorption zone. Curtain, its asymmetrical counterpart, takes on a more fluid, free-form appearance — a contemporary acoustic “curtain effect” where the non-woven materials appear to ebb and flow across a three-dimensional form, also designed with an airgap for enhanced acoustic performance.

Together, Column and Curtain deliver a unique visual and tactile experience, balancing aesthetic appeal, acoustic efficiency and sustainability — a combination that earned them the SBID International Design Award for Surfaces & Finishes.



3D FORMED PANEL COLLECTION


COLUMN 76

CURTAIN 78



3D FORMED PANEL COLLECTION

COLUMN



101 Frost



908 Cream



454 Mushroom



495 Dusk



365 Navy



349 Vineyard



721 Nutmeg



573 Mint



COLUMN in colour 454

PANEL DIMENSIONS 2800mm (+/-5mm) x 995mm (+10/-5mm) x 70mm (+/-5mm)
110.24" (/ -0.2") x 39.17" (+0.39/-0.2") x 2.76" (+/-0.2")

PANEL THICKNESS 9mm (+/-5mm) | 0.35" (+/-7%)


SOUND ABSORPTION AS ISO 354: 2006 (R2016) - direct fix results
αw 0.65 (H)
NRC 0.65
SAA 0.67
Class C

For additional specifications and performance details please visit wovenimage.com **HERE**



3D FORMED PANEL COLLECTION

CURTAIN



101 Frost



908 Cream



454 Mushroom



495 Dusk



365 Navy



349 Vineyard



721 Nutmeg



573 Mint



CURTAIN in colour 349

PANEL DIMENSIONS 2800mm (+/-5mm) x 975mm (+10/-5mm) x 45mm (+/-5mm)
110.24" (/ -0.2") x 38.39" (+0.39/-0.2") x 1.77" (+/-0.2")

PANEL THICKNESS 9mm (+/-7%) | 0.35" (+/-7%)

SOUND ABSORPTION AS ISO 354: 2006 (R2016) - direct fix results
αw 0.50 (H)
NRC 0.60
SAA 0.60
Class D

For additional specifications and performance details please visit wovenimage.com **HERE**



CURTAIN in colour 908

ACOUSTIC TILE COLLECTION

BALANCE	82
ASCENT	84
DUNE	86
WAVE	88

Whether your interiors project requires large scale coverage or to create smaller design features, this range provides an endless stream of design configurations that provide great aesthetics whilst controlling reverberated noise in;

- Collaborative workspaces and meeting rooms
- Classrooms and music rooms
- Cafés and restaurants
- Lobbies and public spaces

They are lightweight, easy to install, and pattern match without the need for trimming.

Tiles in this collection are made from EchoPanel® or Mura, which achieve first-rate environmental certifications.









WAVE tiles in colour 101




ACOUSTIC TILE COLLECTION

BALANCE

				
101 Frost	908 Cream	454 Mushroom	468 Vanilla	402 Pebble
				
442 Grey	542 Charcoal	550 Onyx	269 Wine	487 Blush
				
384 Olive	330 Ivy	365 Navy	633 Pacific	

PRODUCT NAME	BALANCE 670 BALANCE 1340
TILE THICKNESS	12mm (+/-7%) 0.47" (+/-7%)
SOUND ABSORPTION	AS ISO 354: 2006 (R2016) - direct fix results αw 0.45 (MH) NRC 0.65 SAA 0.63 Class D
BOX COMPONENTS	BALANCE 670 - 12 x tiles BALANCE 1340 - 6 x tiles




For additional specifications and performance details please visit wovenimage.com **HERE**

ACOUSTIC TILE COLLECTION

ASCENT



501 Chalk




101 Frost




454 Mushroom




908 Cream



402 Pebble



447 Slate



542 Charcoal



269 Wine



274 Orchid



487 Blush



167 Cinnamon



124 Ochre



349 Vineyard



330 Ivy




551 Duck Egg



660 Coronet



365 Navy




TILE DIMENSIONS 500mm (+/-5mm) x 900mm (+/-5mm) x 50mm (+/-5mm)
19.68" (+/-0.2") x 35.43" (+/-0.2") x 1.97" (+/-0.2")

TILE THICKNESS 4mm (+/-0.5mm) | 0.16" (+/-0.02")
measured 10mm (0.39") above trimmed edge

SOUND ABSORPTION AS ISO 354: 2006 (R2016) - direct fix results
αw 0.60 (MH)
NRC 0.70
SAA 0.66
Class C

BOX COMPONENTS 6 x tiles, 16 x installation clips




ACOUSTIC TILE COLLECTION


DUNE




908 Cream




101 Frost




447 Slate




542 Charcoal




487 Blush



269 Wine



349 Vineyard



660 Coronet

TILE DIMENSIONS

500mm (+/-5mm) x 500mm (+/-5mm) x 50mm (+/-5mm)
19.69" (+/-0.2") x 19.69" (+/-0.2") x 1.97" (+/-0.2")

TILE THICKNESS

4mm (+/-0.5mm) | 0.16" (+/-0.02") - measured 0.39" (10mm) above trimmed edge

SOUND ABSORPTION

AS ISO 354: 2006 (R2016) - direct fix results

α_w 0.50 (MH)


NRC 0.60

SAA 0.58

Class D

BOX COMPONENTS

9 x tiles, 16 x installation clips



For additional specifications and performance details please visit wovenimage.com **HERE**




ACOUSTIC TILE COLLECTION

WAVE




908 Cream



101 Frost




447 Slate



542 Charcoal



487 Blush



269 Wine



349 Vineyard



660 Coronet

TILE DIMENSIONS

500mm (+/-5mm) x 500mm (+/-5mm) x 62.5mm (+/-5mm)
19.69" (+/-0.2") x 19.69" (+/-0.2") x 2.46" (+/-0.2")

TILE THICKNESS

4mm (+/-0.5mm) | 0.16" (+/-0.02") - measured 0.39" (10mm) above trimmed edge

SOUND ABSORPTION

AS ISO 354: 2006 (R2016) - direct fix results

α_w 0.50 (MH)


NRC 0.60

SAA 0.58

Class D

BOX COMPONENTS

9 x tiles, 16 x installation clips



For additional specifications and performance details please visit wovenimage.com **HERE**

ACOUSTIC FABRIC

FOCUS CHAIN



ACOUSTIC FABRIC

FOCUS WAVE



WIDTH	137cm 53.94"		
PATTERN REPEAT	FOCUS CHAIN	Horizontal 19cm (7.48"), Vertical 19.5cm (7.68")	
	FOCUS WAVE	Horizontal 2.5cm (0.98"), Vertical 11cm (4.33")	
SOUND ABSORPTION	AS ISO 354: 2006 (R2016) - direct fix results		
	αw	0.20 (H)	
	NRC Value	0.30	
	SAA	0.29	

For additional specifications and performance details please visit wovenimage.com **HERE**

ACOUSTIC COLLECTION

PRINT DESIGNS

Shown here are a small selection of our printed EchoPanel® designs. These can be printed single or double-sided, making them suitable for walls, ceilings and partitions.

Woven Image has a long history of working with global design and manufacturing clients to deliver unique customised prints. Contact us to discuss your project requirements.



Otto




Frequency



Trapeze



Trio




Astro




Kaleidoscope

Michael Young COLLECTION



Cloudy



Fluid



Mineral



EchoPanel® 12mm **KALEIDOSCOPE** in colour 580

For additional specifications and performance details please visit wovenimage.com **HERE**



EchoPanel® 12mm **TRAPEZE** in colour 365



WWOVEN
IMAGE®
SAINT-GOBAIN