

---

# THE COLLECTION



**W****I** WOVEN  
IMAGE®  
SAINT-GOBAIN

# THE COLLECTION

|                                  |    |
|----------------------------------|----|
| WOVEN IMAGE STORY .....          | 02 |
| ECHOPANEL® COLLECTION.....       | 04 |
| CEILING COLLECTION.....          | 34 |
| SPACE DIVIDING COLLECTION.....   | 44 |
| MURA COLLECTION .....            | 52 |
| EMBOSSSED PANEL COLLECTION.....  | 56 |
| 3D FORMED PANEL COLLECTION ..... | 70 |
| ACOUSTIC TILE COLLECTION .....   | 76 |
| ACOUSTIC FABRIC .....            | 86 |
| PRINT DESIGNS.....               | 88 |



Cover image: **COLUMN** in colour 365  
This image: **BALANCE 1340** tile in colour 330

**Disclaimer** Due different screen configurations, images may not represent the true colour. Always confirm your colour choice with your Woven Image Representative.  
  
We recommend requesting a sample prior to ordering.

## THE COLLECTION

# WOVEN IMAGE STORY

Established in 1987, Woven Image is an international interior finishes company with sustainability and design leadership at its core.

From humble beginnings in Sydney, Woven Image now has offices throughout Australia as well as Singapore, Hong Kong and China, and a network of distributors and stockists across all major markets including Europe and the UK, Asia and the Middle East, and The Americas.

The product portfolio consists of acoustic finishes such as EchoPanel®, suitable for wall, ceiling and space dividing applications in interior spaces including workplace, hospitality, education and healthcare sectors.

## OUR ENVIRONMENTAL STORY


The Woven Image portfolio has been designed with dematerialisation, upcycling and lifecycle management front of mind. All base materials in this collection utilise recycled or waste materials and printed designs use non-toxic inks with low VOCs.

Woven Image achieves first-class environmental certifications for its key products, including Carbon Neutral Certification by Climate Active, Global GreenTag™ certification (GreenRate Level A), with the maximum Product Health Declaration™ Platinum Health and an Environmental Product Declaration (EPD). As a result, specifying these products can secure credits under sustainable building tools including Leadership in Energy and Environmental Design (LEED v4.1), WELL™ Building Standard and Green Star. Woven Image is also a long-term supporter of Greenfleet and offsets its carbon emissions through their bio-diverse program.


## MANUFACTURING PROCESS OF ECHOPANEL® & MURA




Bottles made from PET identified by ♻️ are collected from consumers.




Contaminants like lids and sticky labels are removed. Bottles are chipped into tiny pellets.




Pellets are washed and sanitised.




Pellets and colour are fed into a hopper. A heater at the base of the hopper melts the pellets to form a free-flowing resin.




Web is compressed to make board ready for use.



Fibres are drawn and cut, then blended into a web.



Cold air fans 'set' the fine fibres extruded from the Spinneret.



Resin is pumped through a sophisticated shower-rose device, known as a Spinneret.

# ECHOPANEL® COLLECTION

|                            |    |
|----------------------------|----|
| ECHOPANEL® PALETTE.....    | 06 |
| PRECISION CUT DESIGNS..... | 08 |
| ECHOPANEL® ORB.....        | 10 |
| ECHOPANEL® MOSAIC .....    | 12 |
| ECHOPANEL® CURRENT.....    | 14 |
| ECHOPANEL® ISLE .....      | 16 |
| ECHOPANEL® PARQUET .....   | 18 |
| ECHOPANEL® LONGITUDE.....  | 20 |
| ECHOPANEL® PALACE .....    | 22 |
| ECHOPANEL® OHM .....       | 24 |
| ECHOPANEL® EMPIRE .....    | 26 |
| ECHOPANEL® MERIDIAN .....  | 28 |
| ECHOPANEL® LATITUDE .....  | 30 |
| ECHOPANEL® ALIGN.....      | 32 |

Invented and launched by Woven Image in 2004, EchoPanel® is the original decorative interior panelling solution, with acoustic qualities and eco-innovation at its core. EchoPanel® production uses post-consumer recycled PET to create a superior upcycled product. Since 2022, Woven Image have also committed to offset the embodied carbon of EchoPanel® acoustic panels to zero. Since 2023, the EchoPanel® collection has achieved carbon neutrality, as certified by Climate Active.

EchoPanel® is available in a comprehensive range of neutral, mid-tone and vibrant colours. Due to its unique manufacturing process, the colour remains consistent throughout the depth of the panel.

EchoPanel® is pinnable, durable, lightweight and easy to cut and install, making it ideal for a multitude of wall, ceiling and free-standing commercial interior applications. Available in 12mm (0.47") and 24mm (0.94") thicknesses.







EchoPanel® 12mm in colour 660

ECHOPANEL® PALETTE



|                  |                                                                            |                         |           |
|------------------|----------------------------------------------------------------------------|-------------------------|-----------|
| PANEL DIMENSIONS | 2800mm (+/-10mm) x 1200mm (+/-5mm)   110.24" (+/-0.39") x 47.24" (+/-0.2") |                         |           |
| PANEL THICKNESS  | 12mm                                                                       | (+/-7%)   0.47" (+/-7%) |           |
|                  | 24mm                                                                       | (+/-7%)   0.94" (+/-7%) |           |
| SOUND ABSORPTION | AS ISO 354: 2006 (R2016) - direct fix results                              |                         |           |
|                  | 12mm<br>(0.47")                                                            | $\alpha_w$              | 0.30 (MH) |
|                  |                                                                            | NRC                     | 0.45      |
|                  |                                                                            | SAA                     | 0.43      |
|                  |                                                                            | Class                   | D         |
|                  | 24mm<br>(0.94")                                                            | $\alpha_w$              | 0.45 (MH) |
|                  |                                                                            | NRC                     | 0.65      |
|                  |                                                                            | SAA                     | 0.63      |
| Class            |                                                                            | D                       |           |

QUICK REFERENCE GUIDE

PANEL DIMENSIONS

12mm x 2800mm x 1200mm | 0.47" x 110.24" x 47.24"

24mm x 2800mm x 1200mm | 0.94" x 110.24" x 47.24"

101106124167193269274289295330338349365378381384402442444447454468481484487495500542550551573579580633660721908

12mm  
(0.47")

24mm  
(0.94")

|               |              |             |                 |              |
|---------------|--------------|-------------|-----------------|--------------|
|               |              |             |                 |              |
| 500 Off White | 101 Frost    | 442 Grey    |                 |              |
|               |              |             |                 |              |
| 908 Cream     | 454 Mushroom | 468 Vanilla | 481 Latte       | 402 Pebble   |
|               |              |             |                 |              |
| 550 Onyx      | 542 Charcoal | 447 Slate   | 444 Smoke       | 274 Orchid   |
|               |              |             |                 |              |
| 269 Wine      | 193 Rouge    | 484 Cayenne | 487 Blush       | 495 Dusk     |
|               |              |             |                 |              |
| 167 Cinnamon  | 295 Mandarin | 721 Nutmeg  | 124 Ochre       | 106 Butter   |
|               |              |             |                 |              |
| 378 Seaweed   | 349 Vineyard | 384 Olive   | 579 Pistachio   | 580 Sage     |
|               |              |             |                 |              |
| 330 Ivy       | 338 Jade     | 573 Mint    | 381 Lime Splice |              |
|               |              |             |                 |              |
| 289 Laguna    | 365 Navy     | 660 Coronet | 633 Pacific     | 551 Duck Egg |

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**

ECHOPANEL® COLLECTION

# PRECISION CUT DESIGNS



PRECISION CUT DESIGNS

# ECHOPANEL® ORB



EchoPanel® ORB in colour 495

|                  |                                                                            |
|------------------|----------------------------------------------------------------------------|
| COLOURS          | Full EchoPanel® colour range - see page 7                                  |
| PANEL DIMENSIONS | 2750mm (+/-2mm) x 1100mm (+/-2mm)   108.27" (+/-0.08") x 43.31" (+/-0.08") |
| PANEL THICKNESS  | 12mm (+/-7%)   0.47" (+/-7%)<br>24mm (+/-7%)   0.94" (+/-7%)               |

|                  |       |                                               |
|------------------|-------|-----------------------------------------------|
| SOUND ABSORPTION |       | AS ISO 354: 2006 (R2016) - direct fix results |
| 12mm<br>(0.47")  | αw    | 0.30 (MH)                                     |
|                  | NRC   | 0.45                                          |
|                  | SAA   | 0.43                                          |
|                  | Class | D                                             |
| 24mm<br>(0.94")  | αw    | 0.45 (MH)                                     |
|                  | NRC   | 0.65                                          |
|                  | SAA   | 0.63                                          |
|                  | Class | D                                             |

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**

PRECISION CUT DESIGNS

# ECHOPANEL® MOSAIC



EchoPanel® MOSAIC in colours 573 & 721

|                  |                                                                            |
|------------------|----------------------------------------------------------------------------|
| COLOURS          | Full EchoPanel® colour range - see page 7                                  |
| PANEL DIMENSIONS | 2750mm (+/-2mm) x 1100mm (+/-2mm)   108.27" (+/-0.08") x 43.31" (+/-0.08") |
| PANEL THICKNESS  | 12mm (+/-7%)   0.47" (+/-7%)<br>24mm (+/-7%)   0.94" (+/-7%)               |

For additional specifications and performance details please visit [wovenimage.com](https://www.wovenimage.com) **HERE**

|                  |                                               |           |  |
|------------------|-----------------------------------------------|-----------|--|
| SOUND ABSORPTION | AS ISO 354: 2006 (R2016) - direct fix results |           |  |
| 12mm<br>(0.47")  | α <sub>w</sub>                                | 0.30 (MH) |  |
|                  | NRC                                           | 0.45      |  |
|                  | SAA                                           | 0.43      |  |
|                  | Class                                         | D         |  |
| 24mm<br>(0.94")  | α <sub>w</sub>                                | 0.45 (MH) |  |
|                  | NRC                                           | 0.65      |  |
|                  | SAA                                           | 0.63      |  |
|                  | Class                                         | D         |  |

PRECISION CUT DESIGNS

# ECHOPANEL® CURRENT



EchoPanel® CURRENT in colour 454

|                  |                                                                            |
|------------------|----------------------------------------------------------------------------|
| COLOURS          | Full EchoPanel® colour range - see page 7                                  |
| PANEL DIMENSIONS | 2750mm (+/-2mm) x 1100mm (+/-2mm)   108.27" (+/-0.08") x 43.31" (+/-0.08") |
| PANEL THICKNESS  | 12mm (+/-7%)   0.47" (+/-7%)<br>24mm (+/-7%)   0.94" (+/-7%)               |

|                  |                                               |           |  |
|------------------|-----------------------------------------------|-----------|--|
| SOUND ABSORPTION | AS ISO 354: 2006 (R2016) - direct fix results |           |  |
| 12mm<br>(0.47")  | αw                                            | 0.30 (MH) |  |
|                  | NRC                                           | 0.45      |  |
|                  | SAA                                           | 0.43      |  |
|                  | Class                                         | D         |  |
| 24mm<br>(0.94")  | αw                                            | 0.45 (MH) |  |
|                  | NRC                                           | 0.65      |  |
|                  | SAA                                           | 0.63      |  |
|                  | Class                                         | D         |  |

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**

PRECISION CUT DESIGNS

# ECHOPANEL® ISLE



EchoPanel® ISLE in colour 106

|                  |                                                                            |
|------------------|----------------------------------------------------------------------------|
| COLOURS          | Full EchoPanel® colour range - see page 7                                  |
| PANEL DIMENSIONS | 2750mm (+/-2mm) x 1100mm (+/-2mm)   108.27" (+/-0.08") x 43.31" (+/-0.08") |
| PANEL THICKNESS  | 12mm (+/-7%)   0.47" (+/-7%)<br>24mm (+/-7%)   0.94" (+/-7%)               |

|                  |                                               |           |  |
|------------------|-----------------------------------------------|-----------|--|
| SOUND ABSORPTION | AS ISO 354: 2006 (R2016) - direct fix results |           |  |
| 12mm<br>(0.47")  | α <sub>w</sub>                                | 0.30 (MH) |  |
|                  | NRC                                           | 0.45      |  |
|                  | SAA                                           | 0.43      |  |
|                  | Class                                         | D         |  |
| 24mm<br>(0.94")  | α <sub>w</sub>                                | 0.45 (MH) |  |
|                  | NRC                                           | 0.65      |  |
|                  | SAA                                           | 0.63      |  |
|                  | Class                                         | D         |  |

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**

PRECISION CUT DESIGNS

# ECHOPANEL® PARQUET



EchoPanel® PARQUET in colour 495

|                  |                                                                            |
|------------------|----------------------------------------------------------------------------|
| COLOURS          | Full EchoPanel® colour range - see page 7                                  |
| PANEL DIMENSIONS | 2750mm (+/-2mm) x 1100mm (+/-2mm)   108.27" (+/-0.08") x 43.31" (+/-0.08") |
| PANEL THICKNESS  | 12mm (+/-7%)   0.47" (+/-7%)<br>24mm (+/-7%)   0.94" (+/-7%)               |

|                  |                                               |           |  |
|------------------|-----------------------------------------------|-----------|--|
| SOUND ABSORPTION | AS ISO 354: 2006 (R2016) - direct fix results |           |  |
| 12mm<br>(0.47")  | αw                                            | 0.30 (MH) |  |
|                  | NRC                                           | 0.45      |  |
|                  | SAA                                           | 0.43      |  |
|                  | Class                                         | D         |  |
| 24mm<br>(0.94")  | αw                                            | 0.45 (MH) |  |
|                  | NRC                                           | 0.65      |  |
|                  | SAA                                           | 0.63      |  |
|                  | Class                                         | D         |  |

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**

PRECISION CUT DESIGNS

# ECHOPANEL® LONGITUDE



EchoPanel® LONGITUDE in colour 447

|                  |                                                                            |
|------------------|----------------------------------------------------------------------------|
| COLOURS          | Full EchoPanel® colour range - see page 7                                  |
| PANEL DIMENSIONS | 2750mm (+/-2mm) x 1100mm (+/-2mm)   108.27" (+/-0.08") x 43.31" (+/-0.08") |
| PANEL THICKNESS  | 12mm (+/-7%)   0.47" (+/-7%)<br>24mm (+/-7%)   0.94" (+/-7%)               |

|                  |                                               |           |  |
|------------------|-----------------------------------------------|-----------|--|
| SOUND ABSORPTION | AS ISO 354: 2006 (R2016) - direct fix results |           |  |
| 12mm<br>(0.47")  | α <sub>w</sub>                                | 0.30 (MH) |  |
|                  | NRC                                           | 0.45      |  |
|                  | SAA                                           | 0.43      |  |
|                  | Class                                         | D         |  |
| 24mm<br>(0.94")  | α <sub>w</sub>                                | 0.45 (MH) |  |
|                  | NRC                                           | 0.65      |  |
|                  | SAA                                           | 0.63      |  |
|                  | Class                                         | D         |  |

For additional specifications and performance details please visit [wovenimage.com](#) **HERE**

PRECISION CUT DESIGNS

# ECHOPANEL® PALACE

EchoPanel® PALACE in colour 349

|                  |                                                                            |
|------------------|----------------------------------------------------------------------------|
| COLOURS          | Full EchoPanel® colour range - see page 7                                  |
| PANEL DIMENSIONS | 2750mm (+/-2mm) x 1100mm (+/-2mm)   108.27" (+/-0.08") x 43.31" (+/-0.08") |
| PANEL THICKNESS  | 12mm (+/-7%)   0.47" (+/-7%)<br>24mm (+/-7%)   0.94" (+/-7%)               |

|                  |                                               |           |  |
|------------------|-----------------------------------------------|-----------|--|
| SOUND ABSORPTION | AS ISO 354: 2006 (R2016) - direct fix results |           |  |
| 12mm<br>(0.47")  | αw                                            | 0.30 (MH) |  |
|                  | NRC                                           | 0.45      |  |
|                  | SAA                                           | 0.43      |  |
|                  | Class                                         | D         |  |
| 24mm<br>(0.94")  | αw                                            | 0.45 (MH) |  |
|                  | NRC                                           | 0.65      |  |
|                  | SAA                                           | 0.63      |  |
|                  | Class                                         | D         |  |

For additional specifications and performance details please visit [wovenimage.com](#) **HERE**

PRECISION CUT DESIGNS

# ECHOPANEL® OHM



EchoPanel® OHM in colour 454

|                  |                                                                            |
|------------------|----------------------------------------------------------------------------|
| COLOURS          | Full EchoPanel® colour range - see page 7                                  |
| PANEL DIMENSIONS | 2750mm (+/-2mm) x 1100mm (+/-2mm)   108.27" (+/-0.08") x 43.31" (+/-0.08") |
| PANEL THICKNESS  | 12mm (+/-7%)   0.47" (+/-7%)<br>24mm (+/-7%)   0.94" (+/-7%)               |

|                  |                |  |                                               |
|------------------|----------------|--|-----------------------------------------------|
| SOUND ABSORPTION |                |  | AS ISO 354: 2006 (R2016) - direct fix results |
| 12mm<br>(0.47")  | α <sub>w</sub> |  | 0.30 (MH)                                     |
|                  | NRC            |  | 0.45                                          |
|                  | SAA            |  | 0.43                                          |
|                  | Class          |  | D                                             |
| 24mm<br>(0.94")  | α <sub>w</sub> |  | 0.45 (MH)                                     |
|                  | NRC            |  | 0.65                                          |
|                  | SAA            |  | 0.63                                          |
|                  | Class          |  | D                                             |

For additional specifications and performance details please visit [wovenimage.com](#) **HERE**

PRECISION CUT DESIGNS

# ECHOPANEL® EMPIRE



EchoPanel® EMPIRE in colour 365

|                  |                                                                            |
|------------------|----------------------------------------------------------------------------|
| COLOURS          | Full EchoPanel® colour range - see page 7                                  |
| PANEL DIMENSIONS | 2750mm (+/-2mm) x 1100mm (+/-2mm)   108.27" (+/-0.08") x 43.31" (+/-0.08") |
| PANEL THICKNESS  | 12mm (+/-7%)   0.47" (+/-7%)<br>24mm (+/-7%)   0.94" (+/-7%)               |

|                  |                                               |           |  |
|------------------|-----------------------------------------------|-----------|--|
| SOUND ABSORPTION | AS ISO 354: 2006 (R2016) - direct fix results |           |  |
| 12mm<br>(0.47")  | α <sub>w</sub>                                | 0.30 (MH) |  |
|                  | NRC                                           | 0.45      |  |
|                  | SAA                                           | 0.43      |  |
|                  | Class                                         | D         |  |
| 24mm<br>(0.94")  | α <sub>w</sub>                                | 0.45 (MH) |  |
|                  | NRC                                           | 0.65      |  |
|                  | SAA                                           | 0.63      |  |
|                  | Class                                         | D         |  |

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**

PRECISION CUT DESIGNS

# ECHOPANEL® MERIDIAN



EchoPanel® MERIDIAN in colours 580 & 454



|                  |                                                                            |
|------------------|----------------------------------------------------------------------------|
| COLOURS          | Full EchoPanel® colour range - see page 7                                  |
| PANEL DIMENSIONS | 2750mm (+/-2mm) x 1100mm (+/-2mm)   108.27" (+/-0.08") x 43.31" (+/-0.08") |
| PANEL THICKNESS  | 12mm (+/-7%)   0.47" (+/-7%)<br>24mm (+/-7%)   0.94" (+/-7%)               |

For additional specifications and performance details please visit [wovenimage.com](https://www.wovenimage.com) **HERE**

|                  |                                               |                |           |
|------------------|-----------------------------------------------|----------------|-----------|
| SOUND ABSORPTION | AS ISO 354: 2006 (R2016) - direct fix results |                |           |
|                  | 12mm<br>(0.47")                               | α <sub>w</sub> | 0.30 (MH) |
|                  |                                               | NRC            | 0.45      |
|                  |                                               | SAA            | 0.43      |
|                  |                                               | Class          | D         |
|                  | 24mm<br>(0.94")                               | α <sub>w</sub> | 0.45 (MH) |
|                  |                                               | NRC            | 0.65      |
|                  |                                               | SAA            | 0.63      |
|                  |                                               | Class          | D         |

PRECISION CUT DESIGNS

ECHOPANEL® LATITUDE



EchoPanel® LATITUDE in colour 384

|                  |                                                                            |
|------------------|----------------------------------------------------------------------------|
| COLOURS          | Full EchoPanel® colour range - see page 7                                  |
| PANEL DIMENSIONS | 2750mm (+/-2mm) x 1100mm (+/-2mm)   108.27" (+/-0.08") x 43.31" (+/-0.08") |
| PANEL THICKNESS  | 12mm (+/-7%)   0.47" (+/-7%)<br>24mm (+/-7%)   0.94" (+/-7%)               |

For additional specifications and performance details please visit [wovenimage.com](#) **HERE**

|                  |                                               |           |  |
|------------------|-----------------------------------------------|-----------|--|
| SOUND ABSORPTION | AS ISO 354: 2006 (R2016) - direct fix results |           |  |
| 12mm<br>(0.47")  | α <sub>w</sub>                                | 0.30 (MH) |  |
|                  | NRC                                           | 0.45      |  |
|                  | SAA                                           | 0.43      |  |
|                  | Class                                         | D         |  |
| 24mm<br>(0.94")  | α <sub>w</sub>                                | 0.45 (MH) |  |
|                  | NRC                                           | 0.65      |  |
|                  | SAA                                           | 0.63      |  |
|                  | Class                                         | D         |  |

PRECISION CUT DESIGNS

# ECHOPANEL® ALIGN



EchoPanel® ALIGN in colour 349

|                  |                                                                            |
|------------------|----------------------------------------------------------------------------|
| COLOURS          | Full EchoPanel® colour range - see page 7                                  |
| PANEL DIMENSIONS | 2750mm (+/-2mm) x 1180mm (+/-2mm)   108.27" (+/-0.08") x 46.46" (+/-0.08") |
| PANEL THICKNESS  | 12mm (+/-7%)   0.47" (+/-7%)<br>24mm (+/-7%)   0.94" (+/-7%)               |

For additional specifications and performance details please visit [wovenimage.com](#) **HERE**

|                  |                                               |           |  |
|------------------|-----------------------------------------------|-----------|--|
| SOUND ABSORPTION | AS ISO 354: 2006 (R2016) - direct fix results |           |  |
| 12mm<br>(0.47")  | α <sub>w</sub>                                | 0,30 (MH) |  |
|                  | NRC                                           | 0,45      |  |
|                  | SAA                                           | 0,43      |  |
|                  | Class                                         | D         |  |
| 24mm<br>(0.94")  | α <sub>w</sub>                                | 0,45 (MH) |  |
|                  | NRC                                           | 0,65      |  |
|                  | SAA                                           | 0,63      |  |
|                  | Class                                         | D         |  |

# CEILING COLLECTION

ECHOPANEL® ARRAY ..... 36

FUJI ..... 40

Woven Image offer design-driven and high-performance acoustic ceiling solutions, to control reverberated noise in commercial interior spaces.

EchoPanel® Array is an acoustic ceiling baffle solution utilising 12mm (0.47”) and 24mm (0.94”) EchoPanel®, with streamlined hardware engineered for easy installation, and scalable for both small and large applications. Choose from beautifully crafted baffles in the extensive EchoPanel® colour palette, or work with us to create your own unique designs.

Fuji is a range of decorative 3D formed ceiling tiles, offering superb acoustic absorption. Fuji tiles can be installed with or without the Array ceiling hardware, with options to direct-fix or suspend from the ceiling and integrate a variety of lighting options.

Woven Image's inhouse Commercial Service team provide industry expertise, advice and CAD technical plans and drawings, to ensure ceiling projects are delivered to the highest standards.

EchoPanel® and Fuji achieve:





CEILING COLLECTION

ECHOPANEL® ARRAY

EchoPanel® Array baffle and ceiling hardware dimensions will vary depending on project requirements. Exact quantities, measurements and drawings will be provided upon project specification.

Standard baffle designs are 2780mm in length and vary in depth, please see below:

BEAM



2780mm length x 200mm depth (+/-5mm)




2780mm length x 300mm depth (+/-5mm)

WEDGE



2780mm length x 200mm depth (+/-5mm)



2780mm length x 300mm depth (+/-5mm)

TAPER



2780mm length x 300mm depth (+/-5mm)

CATHEDRAL



2780mm length x 300mm depth (+/-5mm)

TURRET




2780mm length x 300mm depth (+/-5mm)

VALLEY




2780mm length x 300mm depth (+/-5mm)

VIADUCT




2780mm length x 300mm depth (+/-5mm)

WAVE



2780mm length x 267mm depth (+/-5mm)

FLOW



2780mm length x 300mm depth (+/-5mm)

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**

CEILING COLLECTION

ECHOPANEL® ARRAY

ECHOPANEL® 24mm in colours 384, 468 & 580 & ECHOPANEL® 12mm in colours 167, 269 & 468  
Project: University of Adelaide | Designer: Architectus | Photography: Aaron Citti

|                  |                                                                                                                                                                                                                                                                                       |    |           |     |      |     |      |       |   |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----------|-----|------|-----|------|-------|---|
| COLOURS          | Full EchoPanel® colour range - see page 7                                                                                                                                                                                                                                             |    |           |     |      |     |      |       |   |
| DIMENSIONS       | For standard baffle styles & dimensions - see page 37                                                                                                                                                                                                                                 |    |           |     |      |     |      |       |   |
| SOUND ABSORPTION | (+/-7%)   0.94" (+/-7%) - direct fix results<br>AS ISO 354: 2006 (R2016)<br>AS ISO 11654: 2002 (2016)<br>ASTM C423 - 17<br><table><tr><td>αw</td><td>0.75 (MH)</td></tr><tr><td>NRC</td><td>0.85</td></tr><tr><td>SAA</td><td>0.83</td></tr><tr><td>Class</td><td>C</td></tr></table> | αw | 0.75 (MH) | NRC | 0.85 | SAA | 0.83 | Class | C |
| αw               | 0.75 (MH)                                                                                                                                                                                                                                                                             |    |           |     |      |     |      |       |   |
| NRC              | 0.85                                                                                                                                                                                                                                                                                  |    |           |     |      |     |      |       |   |
| SAA              | 0.83                                                                                                                                                                                                                                                                                  |    |           |     |      |     |      |       |   |
| Class            | C                                                                                                                                                                                                                                                                                     |    |           |     |      |     |      |       |   |

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**



CEILING COLLECTION

FUJI



908 Cream



550 Onyx



299 Duck Egg/Cream



420 Cream/Onyx



ARRAY RAILS in colours black & white



BARREL KITS in colours onyx, off-white & onyx/gold

COLOURS

Stocked in 4 standard colours – full Mura colour range available on request, see page 54. Barrel kits allow Fuji tiles to be directly fixed to the ceiling or to the Array ceiling rail.

DIMENSIONS

|            |                                                          |  |
|------------|----------------------------------------------------------|--|
| FUJI JUNI  | 560mm (+/-3mm) x 1160mm (+/-3mm) x 90mm (+/-3mm)         |  |
|            | 22.05" (+/-0.12") x 45.67" (+/-0.12") x 3.54" (+/-0.12") |  |
| FUJI HACHI | 1740mm (+/-3mm) x 840mm (+/-3mm) x 132mm (+/-3mm)        |  |
|            | 68.5" (+/-0.12") x 33.07" (+/-0.12") x 5.2" (+/-0.12")   |  |

THICKNESS

4.6mm (+/-2mm) | 0.18" (+/-0.08")

SOUND ABSORPTION

AS ISO 11654: 2002 (2016) | AS ISO 354: 2006 (R2016) | ASTM C423 - 17, with perimeter

|            |     |      |
|------------|-----|------|
| FUJI JUNI  | αw  | 0.80 |
|            | NRC | 0.80 |
|            | SAA | 0.76 |
| FUJI HACHI | αw  | 0.85 |
|            | NRC | 0.80 |
|            | SAA | 0.76 |

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**



CEILING COLLECTION

FUJI

FUJI KU in colour 550 | Project: JQZ Office | Design & Installation: Sheldon Interiors | Photographer: Simon Whitbread

|            |                                                                                                                                                                                                                                                                                                             |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| COLOURS    | Stocked in 4 standard colours – full Mura colour range available on request, see page 56. Barrel kits allow Fuji tiles to be directly fixed to the ceiling or to the Array ceiling rail.                                                                                                                    |
| DIMENSIONS | <div><div>FUJI ROKU</div><div>560mm (+/-3mm) x 560mm (+/-3mm) x 90mm (+/-3mm)<br/>22.05" (+/-0.12") x 22.05" (+/-0.12") x 3.54" (+/-0.12")</div></div> <div><div>FUJI KU</div><div>840mm (+/-3mm) x 840mm (+/-3mm) x 132mm (+/-3mm)<br/>33.07" (+/-0.12") x 33.07" (+/-0.12") x 5.2" (+/-0.12")</div></div> |
| THICKNESS  | 4.6mm (+/-2mm)   0.18" (+/-0.08")                                                                                                                                                                                                                                                                           |

|                  |                                                                                       |      |  |
|------------------|---------------------------------------------------------------------------------------|------|--|
| SOUND ABSORPTION | AS ISO 11654: 2002 (2016)   AS ISO 354: 2006 (R2016)   ASTM C423 - 17, with perimeter |      |  |
| FUJI ROKU        | αw                                                                                    | 0.75 |  |
|                  | NRC                                                                                   | 0.70 |  |
|                  | SAA                                                                                   | 0.72 |  |
| FUJI KU          | αw                                                                                    | 0.80 |  |
|                  | NRC                                                                                   | 0.75 |  |
|                  | SAA                                                                                   | 0.74 |  |

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**

# SPACE DIVIDING COLLECTION

HANGING PENDENTS..... 46

PALING..... 48

PLATOON..... 50


Our range of EchoPanel® space dividing systems includes hanging pendants and free-standing room dividers.

These products allow open plan spaces, typical of modern workplace and hospitality environments, to be partitioned with ease and flexibility whilst reducing reverberated noise to improve both comfort and productivity.


## SPACE DIVIDING COLLECTION

## HANGING PENDENTS


12mm | 0.47"




TANDEM 12mm | 0.47"




SUMMIT 12mm | 0.47"



DOT 12mm | 0.47"



SPLAY 12mm | 0.47"



## COLOURS

Full EchoPanel® 12mm (0.47") colour range - see page 7

## PENDENT DESIGNS

5 styles

## PANEL DIMENSIONS

12mm (+/-7%) | 0.47" (+/-7%)  
2400mm (+/-2mm) x 1200mm (+/-10mm)  
94.49" (+/-0.08") x 47.24" (+/-0.39")


## SOUND ABSORPTION

See EchoPanel® 12mm (0.47") on page 6 for details

## BOX COMPONENTS


1 x cut EchoPanel® 12mm (0.47")  
1 x 12mm hanging pendent component kit

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**



SPACE DIVIDING COLLECTION

PALING




454 Mushroom



442 Grey



542 Charcoal



EchoPanel® **PALING** in colour 442 with charcoal pivot joiners

|                      |                                                                                                                                |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------|
| PRODUCT TYPE         | Free-standing system                                                                                                           |
| PANEL DIMENSIONS     | <b>PALING A (end panel) &amp; B (middle panel)</b><br>285mm (+/-2mm) x 1750mm (+/-2mm)<br>11.22" (+/-0.08") x 68.9" (+/-0.08") |
| PANEL THICKNESS      | <b>24mm</b> (+/-7%)   0.94" (+/-7%)                                                                                            |
| PIVOT JOINER COLOURS | Cream and charcoal - to be specified in order                                                                                  |
| SOUND ABSORPTION     | See EchoPanel® 24mm (0.94") on page 6 for details                                                                              |

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**


## SPACE DIVIDING COLLECTION

## PLATOON



PLATOON in colours 442 &amp; 542 with charcoal joiners


|                         |                                                                           |
|-------------------------|---------------------------------------------------------------------------|
| PRODUCT TYPE            | Free-standing system                                                      |
| FULL PRODUCT DIMENSIONS | 1750mm (+/-2mm) x 3500mm (+/-2mm)<br>68.9" (+/-0.08") x 137.8" (+/-0.08") |
| PANEL THICKNESS         | 24mm (+/-7%)   0.94" (+/-7%)                                              |
| JOINER COLOURS          | Cream and charcoal - to be specified in order                             |
| SOUND ABSORPTION        | See EchoPanel® 24mm (0.94") on page 6 for details                         |
| BOX COMPONENTS          | 6 x <b>PLATOON</b> panels<br>10 x pivot joiners                           |



454 Mushroom



442 Grey



542 Charcoal

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**

# MURA COLLECTION

Mura is an innovative and versatile, 1.9mm (0.075") thick, surface finish that is highly cost effective, easy to install and boasts an on-trend colour palette. The face side has been designed to create a smooth clean look, whilst the back has been engineered with a forgiving texture that can be adhered to a variety of surfaces including walls, workstation screens and operable walls.

Made from 60% recycled PET with low VOCs, Mura has the same first-rate environmental certifications as EchoPanel®.

MURA PALETTE ..... 54














Desk screen in MURA colour 551  
with wall in MURA colour 454



MURA COLLECTION

MURA PALETTE

|                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |    |    |    |
| 501 Chalk                                                                           | 101 Frost                                                                           | 908 Cream                                                                           | 454 Mushroom                                                                         | 468 Vanilla                                                                           |
|    |    |    |    |    |
| 447 Slate                                                                           | 442 Grey                                                                            | 444 Smoke                                                                           | 402 Pebble                                                                           | 481 Latte                                                                             |
|    |    |    |    |    |
| 550 Onyx                                                                            | 542 Charcoal                                                                        | 274 Orchid                                                                          | 487 Blush                                                                            | 495 Dusk                                                                              |
|   |   |   |   |   |
| 269 Wine                                                                            | 484 Cayenne                                                                         | 167 Cinnamon                                                                        | 721 Nutmeg                                                                           | 124 Ochre                                                                             |
|  |  |  |  |  |
| 330 Ivy                                                                             | 349 Vineyard                                                                        | 384 Olive                                                                           | 580 Sage                                                                             | 106 Butter                                                                            |
|  |  |  |  |                                                                                       |
| 365 Navy                                                                            | 660 Coronet                                                                         | 551 Duck Egg                                                                        | 573 Mint                                                                             |                                                                                       |

|                  |                                                 |
|------------------|-------------------------------------------------|
| ROLL DIMENSIONS  | 6m, 25m or 105m roll   236", 984" or 4134" roll |
| WIDTH            | 1210mm (+/-5mm)   47.64" (+/-0.2")              |
| THICKNESS        | 1.9mm (+/-0.25mm)   0.07" (+/-0.01")            |
| SOUND ABSORPTION | AS ISO 354: 2006 (R2016) - direct fix results   |
|                  | αw 0.10 (H)                                     |
|                  | NRC Value 0.10                                  |
|                  | SAA 0.08                                        |



For additional specifications and performance details please visit [wovenimage.com](https://www.wovenimage.com)

# EMBOSSSED PANEL COLLECTION

|            |    |
|------------|----|
| PICO ..... | 58 |
| ZEN .....  | 60 |
| ION .....  | 62 |
| GEM .....  | 64 |
| UMI .....  | 66 |
| NALU ..... | 68 |



The embossed acoustic panel collection from Woven Image is made using recycled PET. This design-led range embraces the trend towards tactile surfaces and three-dimensional textures, interweaving cutting-edge design with sustainability and commercial performance.

Available in six unique designs; Zen, Ion, Gem, Pico, Umi and Nalu which have been specially designed to provide a floor-to-ceiling acoustic solution for commercial office interiors and pattern matches for continuous wall and double-height installations.










The collection has won numerous international design awards including; The Designer Award for Innovation in Material Product Design, the Dezeen Award for Workplace Design, the FX Design Award for Best Surface, the Architizer Award for A+ Products and an INDE Award.

The uniqueness of the design was observed instantly by the Dezeen Awards judges who said that “in this instance, there was an attempt to define the space in sculptural terms and also give the product tactility”. The Dezeen Awards received more than 4,300 entries, from 85 countries across 5 continents.



EMBOSSSED PANEL COLLECTION

PICO

|                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |    |    |    |
| 501 Chalk                                                                           | 101 Frost                                                                           | 908 Cream                                                                           | 454 Mushroom                                                                         | 468 Vanilla                                                                           |
|    |    |    |    |    |
| 550 Onyx                                                                            | 447 Slate                                                                           | 402 Pebble                                                                          | 580 Sage                                                                             | 274 Orchid                                                                            |
|    |    |    |    |    |
| 269 Wine                                                                            | 484 Cayenne                                                                         | 167 Cinnamon                                                                        | 487 Blush                                                                            | 495 Dusk                                                                              |
|  |  |  |  |  |
| 330 Ivy                                                                             | 349 Vineyard                                                                        | 384 Olive                                                                           | 721 Nutmeg                                                                           | 124 Ochre                                                                             |
|  |  |  |  |  |
| 365 Navy                                                                            | 660 Coronet                                                                         | 551 Duck Egg                                                                        | 573 Mint                                                                             | 106 Butter                                                                            |

|                  |                                                                            |
|------------------|----------------------------------------------------------------------------|
| PANEL DIMENSIONS | 2800mm (+/-3mm) x 1130mm (+/-3mm)   110.24" (+/-0.12") x 44.49" (+/-0.12") |
| PANEL THICKNESS  | 9mm (+/-7%)   0.35" (+/-7%)                                                |
| SOUND ABSORPTION | AS ISO 354: 2006 (R2016) - direct fix results                              |
|                  | αw 0.20 (H)                                                                |
|                  | NRC 0.30                                                                   |
|                  | SAA 0.28                                                                   |
|                  | Class E                                                                    |







For additional specifications and performance details please visit [wovenimage.com](#) **HERE**





EMBOSSSED PANEL COLLECTION

ZEN

|                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |    |    |    |
| 501 Chalk                                                                             | 101 Frost                                                                             | 908 Cream                                                                             | 454 Mushroom                                                                          | 468 Vanilla                                                                           |
|    |    |    |    |    |
| 550 Onyx                                                                              | 447 Slate                                                                             | 402 Pebble                                                                            | 580 Sage                                                                              | 274 Orchid                                                                            |
|    |    |    |    |    |
| 269 Wine                                                                              | 484 Cayenne                                                                           | 167 Cinnamon                                                                          | 487 Blush                                                                             | 495 Dusk                                                                              |
|  |  |  |  |  |
| 330 Ivy                                                                               | 349 Vineyard                                                                          | 384 Olive                                                                             | 721 Nutmeg                                                                            | 124 Ochre                                                                             |
|  |  |  |  |  |
| 365 Navy                                                                              | 660 Coronet                                                                           | 551 Duck Egg                                                                          | 573 Mint                                                                              | 106 Butter                                                                            |

|                  |                                                                            |
|------------------|----------------------------------------------------------------------------|
| PANEL DIMENSIONS | 2800mm (+/-3mm) x 1130mm (+/-3mm)   110.24" (+/-0.12") x 44.49" (+/-0.12") |
| PANEL THICKNESS  | 9mm (+/-7%)   0.35" (+/-7%)                                                |
| SOUND ABSORPTION | AS ISO 354: 2006 (R2016) - direct fix results                              |
|                  | αw 0.20 (H)                                                                |
|                  | NRC 0.30                                                                   |
|                  | SAA 0.28                                                                   |
|                  | Class E                                                                    |

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**

ION



101 Frost



908 Cream



468 Vanilla




402 Pebble



580 Sage



550 Onyx



447 Slate



274 Orchid



487 Blush



495 Dusk



484 Cayenne



167 Cinnamon



721 Nutmeg



124 Ochre



106 Butter



384 Olive



349 Vineyard



660 Coronet



551 Duck Egg



573 Mint

|                  |                                                                            |
|------------------|----------------------------------------------------------------------------|
| PANEL DIMENSIONS | 2800mm (+/-3mm) x 1130mm (+/-3mm)   110.24" (+/-0.12") x 44.49" (+/-0.12") |
| PANEL THICKNESS  | 9mm (+/-7%)   0.35" (+/-7%)                                                |
| SOUND ABSORPTION | AS ISO 354: 2006 (R2016) - direct fix results                              |
|                  | $\alpha_w$ 0.20 (H)                                                        |
|                  | NRC 0.30                                                                   |
|                  | SAA 0.28                                                                   |
|                  | Class E                                                                    |


For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**





EMBOSSSED PANEL COLLECTION

G E M



101 Frost



908 Cream




468 Vanilla




402 Pebble



580 Sage



550 Onyx



447 Slate



274 Orchid



487 Blush



495 Dusk



484 Cayenne



167 Cinnamon



721 Nutmeg




124 Ochre



106 Butter



384 Olive



349 Vineyard



660 Coronet



551 Duck Egg



573 Mint


|                  |                                                                            |
|------------------|----------------------------------------------------------------------------|
| PANEL DIMENSIONS | 2800mm (+/-3mm) x 1130mm (+/-3mm)   110.24" (+/-0.12") x 44.49" (+/-0.12") |
| PANEL THICKNESS  | 9mm (+/-7%)   0.35" (+/-7%)                                                |
| SOUND ABSORPTION | AS ISO 354: 2006 (R2016) - direct fix results                              |
|                  | αw 0.20 (H)                                                                |
|                  | NRC 0.30                                                                   |
|                  | SAA 0.28                                                                   |
|                  | Class E                                                                    |

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**



EMBOSSSED PANEL COLLECTION

U M I



501 Chalk



101 Frost




908 Cream



454 Mushroom



468 Vanilla



550 Onyx



447 Slate




402 Pebble



580 Sage



274 Orchid



269 Wine



484



167 Cinnamon




487 Blush



495 Dusk



330 Ivy



349 Vineyard




384 Olive



721 Nutmeg



124 Ochre



365 Navy




660 Coronet



551 Duck Egg



573 Mint



106 Butter


|                  |                                                                            |          |
|------------------|----------------------------------------------------------------------------|----------|
| PANEL DIMENSIONS | 2800mm (+/-3mm) x 1130mm (+/-3mm)   110.24" (+/-0.12") x 44.49" (+/-0.12") |          |
| PANEL THICKNESS  | 9mm (+/-7%)   0.35" (+/-7%)                                                |          |
| SOUND ABSORPTION | AS ISO 354: 2006 (R2016) - direct fix results                              |          |
|                  | α <sub>w</sub>                                                             | 0.20 (H) |
|                  | NRC                                                                        | 0.30     |
|                  | SAA                                                                        | 0.28     |
|                  | Class                                                                      | E        |

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**




EMBOSSSED PANEL COLLECTION


NALU



101 Frost



501 Chalk




454 Mushroom




908 Cream



468 Vanilla



447 Slate



402 Pebble



580 Sage



481 Latte



495 Dusk



484 Cayenne



167 Cinnamon



721 Nutmeg



124 Ochre



349 Vineyard



330 Ivy



365 Navy



660 Coronet



551 Duck Egg

PANEL DIMENSIONS

2800mm (+/-3mm) x 1130mm (+/-3mm) | 110.24" (+/-0.12") x 44.49" (+/-0.12")

PANEL THICKNESS

9mm (+/-7%) | 0.35" (+/-7%)

SOUND ABSORPTION

AS ISO 354: 2006 (R2016) - direct fix results

αw 0.20 (H)  
NRC 0.30  
SAA 0.28  
Class E

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**



# 3D FORMED PANEL COLLECTION

COLUMN ..... 72

CURTAIN ..... 74

Commercial interiors are elevated to new levels of comfort, class and sophistication with Column and Curtain — 2.8m high, floor-to-ceiling 3D formed acoustic panels containing over 50% post-consumer recycled PET. Designed for seamless installation without a floor-to-ceiling join, panel joins and edge trims are also available to suit individual project requirements.

Column draws inspiration from classical architecture, with its undulating, symmetrical rhythm and a depth of approximately 70mm. The wave-like peaks and troughs, combined with non-woven raw materials, capture airgaps in a direct-fix wall application to create a distinct sound absorption zone. Curtain, its asymmetrical counterpart, takes on a more fluid, free-form appearance — a contemporary acoustic “curtain effect” where the non-woven materials appear to ebb and flow across a three-dimensional form, also designed with an airgap for enhanced acoustic performance.

Together, Column and Curtain deliver a unique visual and tactile experience, balancing aesthetic appeal, acoustic efficiency and sustainability — a combination that earned them the SBID International Design Award for Surfaces & Finishes.




COLUMN in colour 365



3D FORMED PANEL COLLECTION

COLUMN



101 Frost



908 Cream



454 Mushroom



495 Dusk



365 Navy



349 Vineyard



721 Nutmeg



573 Mint



COLUMN in colour 454

**PANEL DIMENSIONS** 2800mm (+/-5mm) x 995mm (+10/-5mm) x 70mm (+/-5mm)  
110.24" (+/-0.2") x 39.17" (+0.39/-0.2") x 2.76" (+/-0.2")

**PANEL THICKNESS** 9mm (+/-5mm) | 0.35" (+/-7%)


**SOUND ABSORPTION** AS ISO 354: 2006 (R2016) - direct fix results  
αw 0.65 (H)  
NRC 0.65  
SAA 0.67  
Class C

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**



3D FORMED PANEL COLLECTION

CURTAIN



101 Frost



908 Cream



454 Mushroom



495 Dusk



365 Navy



349 Vineyard



721 Nutmeg



573 Mint



CURTAIN in colour 349

**PANEL DIMENSIONS** 2800mm (+/-5mm) x 975mm (+10/-5mm) x 45mm (+/-5mm)  
110.24" (/ -0.2") x 38.39" (+0.39/-0.2") x 1.77" (+/-0.2")

**PANEL THICKNESS** 9mm (+/-7%) | 0.35" (+/-7%)

**SOUND ABSORPTION** AS ISO 354: 2006 (R2016) - direct fix results

|       |          |
|-------|----------|
| αw    | 0.50 (H) |
| NRC   | 0.60     |
| SAA   | 0.60     |
| Class | D        |

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**



CURTAIN in colour 908

# ACOUSTIC TILE COLLECTION

|               |    |
|---------------|----|
| BALANCE ..... | 78 |
| ASCENT .....  | 80 |
| DUNE .....    | 82 |
| WAVE .....    | 84 |

Whether your interiors project requires large scale coverage or to create smaller design features, this range provides an endless stream of design configurations that provide great aesthetics whilst controlling reverberated noise in;

- Collaborative workspaces and meeting rooms
- Classrooms and music rooms
- Cafés and restaurants
- Lobbies and public spaces

They are lightweight, easy to install, and pattern match without the need for trimming.

Tiles in this collection are made from EchoPanel® or Mura, which achieve first-rate environmental certifications.









WAVE tiles in colour 101




ACOUSTIC TILE COLLECTION

BALANCE

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |
| 101 Frost                                                                           | 908 Cream                                                                           | 454 Mushroom                                                                        | 468 Vanilla                                                                         | 402 Pebble                                                                          |
|  |  |  |  |  |
| 442 Grey                                                                            | 542 Charcoal                                                                        | 550 Onyx                                                                            | 269 Wine                                                                            | 487 Blush                                                                           |
|  |  |  |  |                                                                                     |
| 384 Olive                                                                           | 330 Ivy                                                                             | 365 Navy                                                                            | 633 Coronet                                                                         |                                                                                     |

|                  |                                                                                                                                            |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| PRODUCT NAME     | BALANCE 670<br>BALANCE 1340                                                                                                                |
| TILE THICKNESS   | 12mm (+/-7%)   0.47" (+/-7%)                                                                                                               |
| SOUND ABSORPTION | AS ISO 354: 2006 (R2016)<br>- direct fix results<br>αw            0.45 (MH)<br>NRC           0.65<br>SAA           0.63<br>Class         D |
| BOX COMPONENTS   | BALANCE 670 - 12 x tiles<br>BALANCE 1340 - 6 x tiles                                                                                       |




For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**

ACOUSTIC TILE COLLECTION

ASCENT



501 Chalk



101 Frost




454 Mushroom




908 Cream



402 Pebble




447 Slate



542 Charcoal



269 Wine



274 Orchid



487 Blush



167 Cinnamon



124 Ochre



349 Vineyard



330 Ivy




551 Duck Egg



660 Coronet



365 Navy




**TILE DIMENSIONS** 500mm (+/-5mm) x 900mm (+/-5mm) x 50mm (+/-5mm)  
19.68" (+/-0.2") x 35.43" (+/-0.2") x 1.97" (+/-0.2")

**TILE THICKNESS** 4mm (+/-0.5mm) | 0.16" (+/-0.02")  
measured 10mm (0.39") above trimmed edge

**SOUND ABSORPTION** AS ISO 354: 2006 (R2016) - direct fix results  
αw 0.60 (MH)  
NRC 0.70  
SAA 0.66  
Class C

**BOX COMPONENTS** 6 x tiles, 16 x installation clips




## ACOUSTIC TILE COLLECTION


## DUNE




908 Cream




101 Frost




447 Slate




542 Charcoal




487 Blush



269 Wine



349 Vineyard



660 Coronet

## TILE DIMENSIONS

500mm (+/-5mm) x 500mm (+/-5mm) x 50mm (+/-5mm)  
 19.69" (+/-0.2") x 19.69" (+/-0.2") x 1.97" (+/-0.2")

## TILE THICKNESS

**4mm** (+/-0.5mm) | 0.16" (+/-0.02") - measured 0.39" (10mm) above trimmed edge

## SOUND ABSORPTION

AS ISO 354: 2006 (R2016) - direct fix results

$\alpha_w$  0.50 (MH)


NRC 0.60

SAA 0.58

Class D

## BOX COMPONENTS

9 x tiles, 16 x installation clips



For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**




## ACOUSTIC TILE COLLECTION

## WAVE




908 Cream



101 Frost




447 Slate



542 Charcoal



487 Blush



269 Wine



349 Vineyard



660 Coronet

## TILE DIMENSIONS

500mm (+/-5mm) x 500mm (+/-5mm) x 62.5mm (+/-5mm)  
19.69" (+/-0.2") x 19.69" (+/-0.2") x 2.46" (+/-0.2")

## TILE THICKNESS

4mm (+/-0.5mm) | 0.16" (+/-0.02") - measured 0.39" (10mm) above trimmed edge

## SOUND ABSORPTION

AS ISO 354: 2006 (R2016) - direct fix results

$\alpha_w$  0.50 (MH)


NRC 0.60

SAA 0.58

Class D

## BOX COMPONENTS

9 x tiles, 16 x installation clips



For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**

ACOUSTIC FABRIC

FOCUS CHAIN



ACOUSTIC FABRIC

FOCUS WAVE



|                  |                                               |                                                  |
|------------------|-----------------------------------------------|--------------------------------------------------|
| WIDTH            | 137cm   53.94"                                |                                                  |
| PATTERN REPEAT   | FOCUS CHAIN                                   | Horizontal 19cm (7.48"), Vertical 19.5cm (7.68") |
|                  | FOCUS WAVE                                    | Horizontal 2.5cm (0.98"), Vertical 11cm (4.33")  |
| SOUND ABSORPTION | AS ISO 354: 2006 (R2016) - direct fix results |                                                  |
|                  | αw                                            | 0.20 (H)                                         |
|                  | NRC Value                                     | 0.30                                             |
|                  | SAA                                           | 0.29                                             |

For additional specifications and performance details please visit [wovenimage.com](https://wovenimage.com) **HERE**

# THE COLLECTION

# PRINT DESIGNS


Shown here are a small selection of our printed EchoPanel® designs. These can be printed single or double-sided, making them suitable for walls, ceilings and partitions.

Woven Image has a long history of working with global design and manufacturing clients to deliver unique customised prints. Contact us to discuss your project requirements.



Otto      Frequency      Trapeze      Trio      Astro      Kaleidoscope

## Michael Young COLLECTION



Cloudy      Fluid      Mineral



EchoPanel® 12mm **KALEIDOSCOPE** in colour 580

For additional specifications and performance details please visit [wovenimage.com](https://www.wovenimage.com) **HERE**



EchoPanel® 12mm **TRAPEZE** in colour 365

